



High Lumen LED Filament Lamps

Product Specifications



TCP's energy-efficient High Lumen LED Filament Lamps are exceptional replacements for HID metal halide lamps and a great alternative to Corn Cob replacement lamps. The classic HID shape fits perfectly into existing fixtures. The lamps are an excellent fit for High Bay and Low Bay fixtures, as well as base down and horizontal applications such as bollards and wall packs. Bypass application means that no ballasts are needed.

Reasons to choose the High Lumen LED Filament Lamps from TCP

- Universal burn position
- Ballast bypass 120-277V
- Versatile – can be used in open or enclosed fixtures
- 360° beam angle
- Lightweight
- Easy installation – screw it into the existing socket
- Energy savings of more than 75% over traditional HID metal halide lamps
- 2200K available – perfect for HPS replacements
- Instant start

Typical Applications

- Warehouses
- Large Retail Facilities
- Movie Theatres
- Parking Structures
- Gymnasiums
- Large Outdoor Areas
- Industrial Lighting
- Large Public Areas
- Pathways

Specifications

Shapes.....ED28, ED23, ED17
Color Temperatures2200K, 4000K, 5000K
Voltage.....120-277V
Enclosed FixtureYes
Rated Life 50,000 Hours

Minimum Starting Temp -30°C (-22°F)
Maximum Operating Temp.....40°C (104°F)
CRI..... ≥ 80
Wet Location.....Yes

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcp.com



*Based on 12 hours use per day



High Lumen LED Filament Lamps

It's Real!
First 200 LPW
Filament Lamp!



30W ED28



26W ED23



14W ED17

| ITEM # | DESCRIPTION | SHAPE | WATTAGE | VOLTAGE | LUMENS | LPW | COLOR TEMP | CRI | BASE | MOL (inches) | DIA (inches) | WEIGHT (lbs) | CASE |
|-------------------|--------------------|-------|---------|----------|--------|-------|------------|-----|------|--------------|--------------|--------------|------|
| ED28 Lamps | | | | | | | | | | | | | |
| FED28N15022E39CL | ED28 22K E39 CLEAR | ED28 | 30 | 120-277V | 4600 | 153 | 2200K | 80 | E39 | 8.2 | 3.5 | 0.42 | 6 |
| FED28N15040E39CL | ED28 40K E39 CLEAR | ED28 | 30 | 120-277V | 6000 | 200 | 4000K | 80 | E39 | 8.2 | 3.5 | 0.42 | 6 |
| FED28N15050E39CL | ED28 50K E39 CLEAR | ED28 | 30 | 120-277V | 6000 | 200 | 5000K | 80 | E39 | 8.2 | 3.5 | 0.42 | 6 |
| ED23 Lamps | | | | | | | | | | | | | |
| FED23N15022E26CL | ED23 22K E26 CLEAR | ED23 | 26 | 120-277V | 3600 | 138.5 | 2200K | 80 | E26 | 7.6 | 3.00 | 0.35 | 6 |
| FED23N15040E26CL | ED23 40K E26 CLEAR | ED23 | 26 | 120-277V | 5000 | 192.3 | 4000K | 80 | E26 | 7.6 | 3.00 | 0.35 | 6 |
| FED23N15050E26CL | ED23 50K E26 CLEAR | ED23 | 26 | 120-277V | 5000 | 192.3 | 5000K | 80 | E26 | 7.6 | 3.00 | 0.35 | 6 |
| ED17 Lamps | | | | | | | | | | | | | |
| FED17N05022E26CL | ED17 22K E26 CLEAR | ED17 | 14 | 120-277V | 1800 | 128.6 | 2200K | 80 | E26 | 5.4 | 2.2 | 0.16 | 6 |
| FED17N05040E26CL | ED17 40K E26 CLEAR | ED17 | 14 | 120-277V | 2500 | 178.5 | 4000K | 80 | E26 | 5.4 | 2.2 | 0.16 | 6 |
| FED17N05050E26CL | ED17 50K E26 CLEAR | ED17 | 14 | 120-277V | 2500 | 178.5 | 5000K | 80 | E26 | 5.4 | 2.2 | 0.16 | 6 |

Accessories

ADAPTERE39E26 E39 lamp to E26 socket Adapter

ADAPTERE26E39 E26 lamp to E39 socket Adapter

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516