LED 7W GU10 50w Replacement, Dimmable

7w = 50W
Halogen

Stock No. Product Description

LED-5250-27K GU10-40-7-1-2700K 7w 401 lumens LED-5250-50K GU10-40-7-1-5000K 7w 439 lumens

Description:

GU10 LED lamp, fully encapsulated, 7 Watt, GU10 base. Replaces 50w GU10 halogen. Single COB LED design provides a focused 40° light spread with no visible LED hot-spots. Dimmable

- · 7w power consumption
- 40° Beam angle
- 120VAC Dimmable
- · Available in 2700K or 5000K CCT
- >80 CRI
- 25,000 Rated L70 LED life
- White finish
- UL Listed (US & C)
- 5 Year warranty



The 7w LED lamp has been designed to retrofit existing incandescent and halogen installations in recessed fixtures, thereby reducing maintenance and energy expenditures - and as an energy saving light source for new fixtures and installations.

- Task lighting
- · Hospitality lighting
- · Recessed down-lighting
- Residential lighting

Packaging:

Master-pack: 25 each

Installation Notes:

- · Do not install in recessed fixtures
- Do not utilize lamp covers over LED MR16/GU10 lamps
- Dimming performance varies and depends on lamp count, dimmer type, etc









Technical Specifications			
Bulb Type	GU10	Mounting	GU10
Bulb Material	Aluminum/Plastic	LEDs:	1 COB LED
Power Consumption	7 watts	Beam Angle	40 °
Lumens	401 / 439 Lumens	Dimmable	Yes (120V only)
Efficacy	Up to 69 LPW	Replaces	50w Halogen / Incandescent
Rated LED Life	Up to 25,000 Hrs.	ССТ	2700K 5000K
Power Factor:	>90	CRI:	> 80
IR / UV	None	Mercury/ Lead Content	None
Warranty	5 year Limited	Dimensions	1.9" X 1.9"

Note: All specification information falls within a $\pm\,2\%$ range and is subject to change without notice.

NOTE: Light Efficient Design is providing this information to the general public. Please note that all products contained herein are trademarked, copyrighted, and/or have patents pending. Any use of these designs is strictly prohibited without prior written consent. Light Efficient Design protects its proprietary information vigorously in the courts of the United States of America.