

EnduraLED PAR38 Indoor Flood

17PAR38/END/F22 2700 DIM 6/1

Philips EnduraLED PAR indoor reflectors with high brightness LEDs are suited for track and recessed lighting. Energy saving, long life LED PAR lamps install into existing fixtures and can lower cost with reduced wattage and re-lamping frequency.

Product data

• General Characteristics

Cap-Base Buİb PAR38 [PAR38 mm] Rated Avg. Life 45000 hr

(Hours)

• Light Technical Characteristics

Color Code WW Warm White Color Designation Beam Angle 22 D 22D [Medium beam] Beam Description

Correlated Color 2700 K

Temperature 890 Lm Approximate Lumens

Approx. MBCP 3500 cd 2790 K [CCT 2790K] Color Temp. (Kelvin)

• Electrical Characteristics

Wattage 17 W

Dimensional drawing

Wattage Technical 17 W 120 V Voltage Dimmable Yes

Product Dimensions

eop_net_weight_pp

Overall Length C 5.319 (max) in

[inch]

• Product Data


Product number 410175 17PAR38/END/F22 2700 DIM 6/1 Full product name Short product name 17PAR38/END/F22 2700 DIM 6/1 Pieces per Sku eop_pck_cfg Skus/Case 46677410179 Bar code on pack 50046677410174 Bar code on case Logistics code(s) 929000176102

0.528 kg





Dimensional drawing



12W/17W PAR30S/PAR38 Dimmable

Product	C (Norm)	D (Norm)
LED 17W WWW 2790K 120V PAR38 Dimmable	-	-



E26



Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.