




Your Global Partner in Lighting Solutions

MINIATURE LAMP 5627 (R5W 24V 5W)



Part #	5627 (R5W 24V 5W)				
Description	T-6 BA15s 5W 24V .2A 4CP (R5W)				
Bulb Shape	T-6	Filament	C-2V	Base Style	S.C. Bayonet (BA15s)
Glass Diameter (in)	0.75	MOL [†] (in)	1.480	LCL ^{††} (in)	0.75
Glass Diameter (mm)	19	MOL (mm)	37.50	LCL (mm)	19.00
Volts	24	MSCP ‡	4	Avg Life Hrs	200
Watts	5	Amps	0.20	RoHS Compliant	Yes
E-Marked	Yes	Drawing	5627.pdf	New Announcement	

Click below to see NAFTA & Packaging information



† MOL (Maximum Overall Length):

The overall length of a lamp, from the top of the shell to the bottom of the base.

‡ MSCP (Mean Spherical Candlepower):

Candlepower produced at design volts. Candlepower is increased rapidly with an increase of applied voltage and conversely is reduced rapidly with a reduction of applied voltage.

†† LCL (Light Center Length):

The distance from a reference point, usually the bottom of the lamp base, to the center of the light source.

CERTIFICATES

APPLICATION GUIDES

DOWNLOADS

ABOUT



[List of PDF downloads](#)



[About Us](#)
[Contact Us](#)
[Site Map](#)

CONTACT

CEC INDUSTRIES, LTD
599 Bond Street
Lincolnshire, IL 60069
Phone: (847) 821-1199
Toll Free: (800) 572-4168
Fax: (847) 821-1133

www.cecindustries.com

