





LTR	REVISION	DATE	APPD
B	052018-GP01: UPDATED TEST DATA	06-28-18	GP

5SBF200-01W-028B



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: RYNITE
3. BASE MATERIAL: WEDGE = BAKELITE RESIN MELTS AT 200°C
FLANGE = NICKEL PLATE
4. CONTACT POLARITY: BipolarDC (+ / -)
5. REPLACES INCANDESCENT: 24PSB, 28PSB
6. OPERATING TEMPERATURE: ~-30°C to ~+50°C

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER
REDLINE CHECKLIST	
<input type="checkbox"/>	REDLINE(YES)
<input type="checkbox"/>	DATE: _____
<input type="checkbox"/>	INITIATED BY: _____
<input type="checkbox"/>	ECR REQUIRED YES <input type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/>	WORK ORDER# _____

ELECTRICAL - OPTICAL CHARACTERISTICS (Ta = 25°C)

5SBF200-0AG-028B	AQUA GREEN	24/28Vdc(@28Vdc)	0.45 W	0.016 A	1.440cd	519	-	80°
5SBF200-0CW-028B	COOL WHITE	24/28Vdc(@28Vdc)	0.45 W	0.016 A	1.600cd	-	8000K	90°
5SBF200-0ER-028B	SUPER RED	24/28Vdc(@28Vdc)	0.48 W	0.017 A	0.765cd	637	-	85°
5SBF200-0IW-028B	WARM WHITE	24/28Vdc(@28Vdc)	0.45 W	0.016 A	1.520cd	-	3000K	105°
5SBF200-0PB-028B	SUPER BLUE	24/28Vdc(@28Vdc)	0.45 W	0.016 A	0.384cd	462	-	85°
5SBF200-0UG-028B	SUPER GREEN	24/28Vdc(@28Vdc)	0.48 W	0.017 A	0.102cd	573	-	75°
5SBF200-0UO-028B	SUPER ORANGE	24/28Vdc(@28Vdc)	0.48 W	0.017 A	0.340cd	610	-	90°
5SBF200-0UR-028B	ULTRA RED	24/28Vdc(@28Vdc)	0.48 W	0.017 A	0.145cd	654	-	95°
5SBF200-0UY-028B	SUPER YELLOW	24/28Vdc(@28Vdc)	0.48 W	0.017 A	0.306cd	596	-	76°
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	POWER (W)	CURRENT (A)	MAXIMUM CANDELA	λP nm	COLOR TEMP. (K)	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)

LED[®]
LEDTRONICS,™ INC.
 23105 KASHIWA COURT
 TORRANCE, CA 90505

-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS,™ INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS,™ INC.
 .XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE							
5SBF200-XXX-028B							
DWG NO		SCALE		SHEET		DATE	
5SBF200-28V-BP		1:1		1 OF 1		03-29-12	
CODE IDENT NO.	DWG BY	CHK BY	QA	EE	MFG LD	R&D	KS
8Z410	03-29-12		06-29-18	06-29-18	06-29-18	06-29-18	