



Rough / Vibration Service

75W 120-130V A21 FR RS 1SL

Philips Family of Specialty Incandescents provide the perfect light for dramatic accents and display lighting as well as general lighting in a variety of applications. Rough Service incandescent lamps have an exceptionally strong filament for which a special filament wire is used, which makes these lamps extremely suitable for places where shocks, bumps and vibrations frequently occur. The clear version, with its completely visible filament, is a brilliant light source, whereas the inside-frosted lamp is used wherever well diffused light is required.

Product data

• General Characteristics

Base	Medium [Single Contact Medium Screw]
Base Information	Brass [Brass Base]
Bulb	A21
Bulb Finish	Frosted
Filament Shape	RC-9 [Reinforced Construction C-9]
Operating Position	Universal [Any or Universal (U)]
Main Application	Rough Service
Atmosphere	Gas
Nominal Lifetime	1000 hr
Rated Lifetime (hours)	1000 hr

• Light Technical Characteristics

Initial lumen	750 Lm
---------------	--------

• Electrical Characteristics

Watts	75 W
-------	------

Voltage	120-130 V
Starting Time	0.0 s

• Product Dimensions


Max Overall Length (MOL) - C	5.313 (max) in
Diameter D	2.625 in

• Product Data

Product number	204701
Full product name	75W 120-130V A21 FR RS 1SL
Short product name	75W 120-130V A21 FR RS 1SL
Pieces per Sku	1
eop_pck_cfg	12
Skus/Case	12
Bar code on pack	46677104061
Bar code on case	50046677104066
Logistics code(s)	920636636305
eop_net_weight_pp	0.001 kg

PHILIPS

Dimensional drawing



A21



E26

75W 120-130V A21 FR RS 1SL

Product	C (Max)	D (Norm)	D (Max)
RC 75W E26 120-130V A-21 RC-9 FR	-	-	-



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, February 15
data subject to change