



LTR	REVISION	DATE	APPD
D	121621-HF02: UPDATED DESCRIPTION FOR SLEEVE MATERIAL AND LENS MATERIAL	12-17-21	HF



ACTUAL SIZE



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. LENS MATERIAL: PC-UV STABILIZED (UL94V-2).
3. SLEEVE MATERIAL: RYNITE FR530 (UL 94HB) OR PC-UV STABILIZED (UL94V-2).
4. BASE MATERIAL: SHELL (BODY) IS MADE FROM BRASS WITH NICKEL-PLATED (BARREL).

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER
REDLINE CHECKLIST	
<input type="checkbox"/>	REDLINE(YES)
<input type="checkbox"/>	DATE: _____
<input type="checkbox"/>	INITIATED BY: _____
<input type="checkbox"/>	ECR REQUIRED YES <input type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/>	WORK ORDER# _____

ELECTRO-OPTICAL CHARACTERISTICS

B320-OAG-6/48V	AQUA GREEN	6 to 34Vac	0.009 A @34Vac	0.43 W	8.38 cd	522	-	30°
		6 to 48Vdc	0.009 A @48Vdc					
B320-OER-6/48V	SUPER RED	6 to 34Vac	0.009 A @34Vac	0.37 W	6.26 cd	633	-	40°
		6 to 48Vdc	0.007 A @48Vdc					
B320-OPB-6/48V	SUPER BLUE	6 to 34Vac	0.009 A @34Vac	0.30 W	3.76 cd	465	-	30°
		6 to 48Vdc	0.009 A @48Vdc	0.40 W	2.73 cd			
B320-OUY-6/48V	SUPER YELLOW	6 to 34Vac	0.010 A @34Vac	0.30 W	1.84 cd	598	-	20°
		6 to 48Vdc	0.010 A @48Vdc	0.50 W	1.91 cd			
B320-TPW-6/48V	TRUE WHITE	6 to 34Vac	0.009 A @34Vac	0.44 W	2.62 cd	-	5000K	40°
		6 to 48Vdc	0.009 A @48Vdc					
B320-XIW-6/48V	WARM WHITE	6 to 34Vac	0.009 A @34Vac	0.44 W	2.18 cd	-	3000K	40°
		6 to 48Vdc	0.009 A @48Vdc					
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	CURRENT (A)	POWER (W)	MAXIMUM CANDELA	λP nm	COLOR TEMP. (K)	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)

LED[®]
LEDTRONICS,™ INC.
 23105 KASHIWA COURT
 TORRANCE, CA 90505

-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE							
B320-XXX-6/48V							
DWG NO	SCALE	SHEET	DATE				
B320-6-48V-DC	2:1	1 OF 1	03-15-10				
CODE IDENT NO.	DWG BY GP	CHK BY PL	QA SB	MFG LD	R&D UF		
8Z410	03-15-10	12-17-21	12-17-21	12-17-21	12-17-21		