



LTR	REVISION	DATE	APPD
A	012111-LD01: ADD ALTERNATE PART	09-20-12	GP



BF304-0IW-130B



**NOTES:**

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: RYNITE FR530
3. BASE MATERIAL: SHELL (BODY) IS MADE FROM BRASS WITH NICKEL-PLATED (BARREL)

REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

BF304-0AG-130B	AQUA GREEN	130Vdc	0.007 A	0.91W	0.920cd	519	-	120°
BF304-0CW-130B	COOL WHITE	130Vdc	0.007 A	0.91W	1.320cd	-	8000K	120°
BF304-0IW-130B	WARM WHITE	130Vdc	0.007 A	0.91W	0.276cd	-	3000K	120°
BF304-0UR-130B	ULTRA RED	130Vdc	0.010 A	1.30W	0.160cd	650	-	120°
BF304-0UY-130B	SUPER YELLOW	130Vdc	0.010 A	1.30W	0.096cd	595	-	120°
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	CURRENT (A)	POWER (W)	MAXIMUM CANDELA	λP nm	COLOR TEMP. (K)	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)
ELECTRICAL TEST								



**-PROPRIETARY-**  
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5  
 .XX ± .025 (UNLESS OTHERWISE STATED)  
 ANGLES ± 0°,30'  
 FRACT. ± 1/32

TITLE					
<b>BF304-0XX-130B</b>					
DWG NO	SCALE	SHEET	DATE		
BF304-130V-BP	1:1	1 OF 1	10-31-07		
CODE IDENT NO.	DWG BY	CHK BY	QA	MFG	R&D
8Z410	MM 10-31-07	PL 09-20-12			