


LTR	REVISION	DATE	APPD
C	051718-GP01: UPDATED TEST DATA	06-12-18	GP



**NOTES:**

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: GENERAL POLYMERS RYNITE FR530 (UL 94HB)
3. BASE MATERIAL: (BODY) BRASS & NICKEL PLATED BRASS (BARREL)
4. OPERATING TEMPERATURE: ~-30°C TO ~+50°C

**\*\*FULL BEAM WIDTH @ 50% INTENSITY**

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER
REDLINE CHECKLIST	
<input type="checkbox"/>	REDLINE(YES)
<input type="checkbox"/>	DATE: _____
<input type="checkbox"/>	INITIATED BY: _____
<input type="checkbox"/>	ECR REQUIRED YES <input type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/>	WORK ORDER# _____

**ELECTRICAL - OPTICAL CHARACTERISTICS (Ta = 25°C)**

BF321-0AG-024B	AQUA GREEN	24Vdc	0.31 W	0.013 A	1.430cd	520	-	85°	BipolarDC(+/-)
BF321-0CW-024B	COOL WHITE	24Vdc	0.31 W	0.013 A	2.161cd	-	8000K	95°	BipolarDC(+/-)
BF321-0ER-024B	SUPER RED	24Vdc	0.48 W	0.020 A	0.300cd	630	-	90°	BipolarDC(+/-)
BF321-0IW-024B	WARM WHITE	24Vdc	0.31 W	0.013 A	1.170cd	-	3000K	110°	BipolarDC(+/-)
BF321-0PB-024B	SUPER BLUE	24Vdc	0.31 W	0.013 A	0.455cd	465	-	85°	BipolarDC(+/-)
BF321-0UG-024B	SUPER GREEN	24Vdc	0.41 W	0.017 A	0.106cd	573	-	90°	BipolarDC(+/-)
BF321-0UO-024B	SUPER ORANGE	24Vdc	0.41 W	0.017 A	0.255cd	610	-	95°	BipolarDC(+/-)
BF321-0UR-024B	ULTRA RED	24Vdc	0.41 W	0.017 A	0.127cd	652	-	80°	BipolarDC(+/-)
BF321-0UY-024B	SUPER YELLOW	24Vdc	0.41 W	0.017 A	0.850cd	593	-	85°	BipolarDC(+/-)

LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	POWER (W)	CURRENT (A)	MAXIMUM CANDELA	λP nm	COLOR TEMP. (Kelvin)	VIEWING ANGLE**	CENTER CONTACT POLARITY
---------------------	---------------	------------------	-----------	-------------	-----------------	-------	----------------------	-----------------	-------------------------

<p>LEDTRONICS,™ INC. 23105 KASHIWA COURT TORRANCE, CA 90505</p>	<p><b>-PROPRIETARY-</b> This document contains Proprietary information of LEDTRONICS,™ INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS,™ INC.</p>		<p><b>TITLE</b> <b>BF321-0XX-024B</b></p>			
	<p>.XXX ± .010 TOLERANCE PER ANSI-Y14.5 .XX ± .025 (UNLESS OTHERWISE STATED) ANGLES ± 0°,30' FRACT. ± 1/32</p>		DWG NO	SCALE	SHEET	DATE
	<p>8Z410</p>		11-10-09	1:1	1 OF 1	11-10-09

CODE IDENT NO.	DWG BY GP	CHK BY	QA EE	MFG LD	R&D KS
8Z410	11-10-09		06-21-18	06-21-18	06-21-18