


LTR	REVISION	DATE	APPD
B	041516-GP01: ADDED MISSING DATA	04-27-16	GP



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: GENERAL POLYMERS RYNITE FR530 (UL 94HB)
3. BASE MATERIAL: BRASS, NICKEL-PLATED
4. OPERATING TEMPERATURE: ~-30°C TO ~+50°C

**FULL BEAM WIDTH @ 50% INTENSITY



REVISION NOTIFICATION

<input type="checkbox"/> DLC
<input type="checkbox"/> UL/ETL
<input type="checkbox"/> MADE IN USA
<input type="checkbox"/> CUSTOMER _____
<input type="checkbox"/> OTHER

ELECTRICAL - OPTICAL CHARACTERISTICS (Ta = 25°C)

BF321-0AG-024B	AQUA GREEN	24Vdc	0.31 W	0.013-0.017 A	0.400cd	520	-	85°	BipolarDC(+/-)
BF321-0CW-024B	COOL WHITE	24Vdc	0.31 W	0.013-0.017 A	0.825cd	-	8000K	95°	BipolarDC(+/-)
BF321-0ER-024B	SUPER RED	24Vdc	0.41 W	0.018-0.022 A	-	630	-	90°	BipolarDC(+/-)
BF321-0IW-024B	WARM WHITE	24Vdc	0.31 W	0.013-0.017 A	0.130cd	-	3000K	110°	BipolarDC(+/-)
BF321-0PB-024B	SUPER BLUE	24Vdc	0.31 W	0.013-0.017 A	0.116cd	465	-	85°	BipolarDC(+/-)
BF321-0UG-024B	SUPER GREEN	24Vdc	0.41 W	0.018-0.022 A	0.058cd	573	-	90°	BipolarDC(+/-)
BF321-0UO-024B	SUPER ORANGE	24Vdc	0.41 W	0.018-0.022 A	-	610	-	95°	BipolarDC(+/-)
BF321-0UR-024B	ULTRA RED	24Vdc	0.41 W	0.018-0.022 A	0.115cd	652	-	80°	BipolarDC(+/-)
BF321-0UY-024B	SUPER YELLOW	24Vdc	0.41 W	0.018-0.022 A	0.116cd	593	-	85°	BipolarDC(+/-)

LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	POWER (W)	CURRENT (A)	MAXIMUM CANDELA	λP nm	COLOR TEMP. (Kelvin)	VIEWING ANGLE**	CENTER CONTACT POLARITY
---------------------	---------------	------------------	-----------	-------------	-----------------	-------	----------------------	-----------------	-------------------------



-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.
 .XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE BF321-0XX-024B					
DWG NO BF321-24V-BP		SCALE 1:1	SHEET 1 OF 1	DATE 11-10-09	
CODE IDENT NO. 8Z410	DWG BY GP 11-10-09	CHK BY	QA EE 06-06-16	MFG LD 06-06-16	R&D LUV 06-03-16