



- NOTES:**
1. LENS MATERIAL: POLYCARBONATE (PC) (UL 94V-2)
 2. DIFFUSER MATERIAL: POLYCARBONATE
 3. HOLDER MATERIAL: BODY - POLYCARBONATE (PC) (UL94V-0)
RING - ABS (UL94V-2)
 4. RECOMMENDED PANEL HOLE SIZE: 0.866 in [22mm]



BS854CAF-28V-BP	BF304-0UO-028B	SUPER ORANGE	28	20	-	610	120°
BS854CGF-28V-BP	BF304-0AG-028B	AQUA GREEN	28	15	2000	525	120°
BS854CRF-28V-BP	BF304-0UR-028B	ULTRA RED	28	20	360	660	120°
BS854CWF-28V-BP	BF304-0CW-028B	COOL WHITE	28	15	1200	8000K	120°
BS854CYF-28V-BP	BF304-0UY-028B	SUPER YELLOW	28	20	748	595	120°
LEDTRONICS PART NO.	BULB PART NO.	COLOR EMITTED	ELECTRICAL TEST				
			SET VOLTS	READ mA typ.	INTENSITY (mcd)	λP nm	VIEWING ANGLE

LED[®]
LEDTRONICS,™ INC.
23105 KASHIWA COURT
TORRANCE, CA 90505

-PROPRIETARY-
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
.XX ± .025 (UNLESS OTHERWISE STATED)
ANGLES ± 0°.30'
FRACT. ± 1/32

TITLE BS854CXF-28V-BP					
DWG NO BS854-28V-BP		SCALE 1:1	SHEET 1 OF 1	DATE 03-23-10	
CODE IDENT NO. 8Z410	DWG BY MM 03-23-10	CHK BY PL 03-23-10	QA	MFG	R&D