



Compact LED 3VDC Bayonet Based Tube Bulbs

T3¼ Ba9s Single-Contact Base – 115°~150° Beam – Aqua Green, Super Red or Cool White



FEATURES

- 3 Year LEDtronics Warranty
- Directly Replaces 3VDC Incandescent Bulbs up to 8 Watts
- Low Power Consumption, High Intensity
- Energy Savings up to 90%
- Long Life: Lumen Maintenance of Colored LEDs over 70% @ 50,000 Hours
- Solid-State: High-Shock & Vibration Resistant
- 9mm T3¼ Ba9s Single-Contact Bayonet Base
- Center-Contact, BipolarDC (+/-) Polarity
- Choice of Aqua Green, Super Red or Cool White
- Sunlight-Visible LEDs, Even Lighting
- No UV, No RF Interference, Minimal Heat


APPLICATIONS

- Suitable for Enclosed Fixtures Where Temperatures Do Not Commonly Exceed the Recommended Operating Range
- Replaces 9mm Bayonet-Based Lamps Operating at 3VDC within Its Dimensional Constraints
- Indicator Lights for Instrumentation
- Panel Mount Pilot Lights
- Accent Lighting
- Back Lighting

AVAILABLE OPTIONS

- Other Colors
- Other Voltages

Over 35 Years of LEDtronics Design, Engineering & Manufacturing Experience



9mm T3¼ Ba9s Single-Contact Bayonet Base

Directly Replaces 800T-N376W, #43, #45 & #1490 Incandescent Bulbs

BSD-2073-OAG (■)
BSD-2073-OER (■)
BSD-2073-OCW (■)

	OAG	OER	OCW
Emitted Color	Aqua Green	Super Red	Cool White
Wavelength λp	524nm	633nm	-
Color Temp.	-	-	10,264K
Input Voltage	3VDC	2VDC	3VDC
Input Current	0.045A	0.077A	0.156A
Input Power	0.2 Watts	0.2 Watts	0.7 Watts
Total Lumens	11 lm	9 lm	49.7 lm
Efficacy (lm/W)	55	45	71
Max. Candela	1.65 cd	1.33 cd	9.6 cd
SCP	0.9	0.7	3.96
Viewing Angle	115°	140°	150°
Dimmability	Not Dimmable		
Operating Temperature	~-22°F to ~+122°F ~-30°C to ~+50°C		
Base Type	9mm Ba9s Single-Contact Bayonet		
Base Material	Nickel-Plated Brass Barrel		
Dimensions (typ)	L0.9 x W00.4 inch L22.86 x W10.16 mm		
Weight	0.08 oz / 2.27 g		

LOG 824 / Rev 01-2021

LEDTRONICS®
 America's Premium Brand LED Company™



© 2021 LEDtronics, Inc.

23105 Kashiwa Court, Torrance, CA 90505
 Phone: (800) 579.4875 / (310) 534.1505
 Fax: (310) 534.1424
 E-mail: info@ledtronics.com
 Website: ledtronics.com



To order LEDtronics products, contact the Distributor or Sales Representative in your area.

Visit our website to find your local Distributor or Representative from our worldwide network:

LEDtronics.com

Check LEDTRONICS.COM for latest data. Printed material may be outdated.