




Your Global Partner in Lighting Solutions

MINIATURE LAMP 3899



| | | | | | |
|---------------------|-----------------|-----------------------|-------|------------------------|------|
| Part # | 3899 | | | | |
| Description | T2 24V 0.13A 3W | | | | |
| Bulb Shape | T-2 | Filament | C-2V | Base Style | BA7s |
| Glass Diameter (in) | 0.25 | MOL [†] (in) | 0.940 | LCL ^{††} (in) | 0.35 |
| Glass Diameter (mm) | 6.4 | MOL (mm) | 24.00 | LCL (mm) | 8.80 |
| Volts | 24 | MSCP [‡] | 0.6 | Avg Life Hrs | 200 |
| Watts | 3 | Amps | 0.13 | RoHS Compliant | |
| E-Marked | No | Drawing | | New Announcement | |

Click below to see NAFTA & Packaging information



† MOL (Maximum Overall Length):

The overall length of a lamp, from the top of the shell to the bottom of the base.

‡ MSCP (Mean Spherical Candlepower):

Candlepower produced at design volts. Candlepower is increased rapidly with an increase of applied voltage and conversely is reduced rapidly with a reduction of applied voltage.

†† LCL (Light Center Length):

The distance from a reference point, usually the bottom of the lamp base, to the center of the light source.

CERTIFICATES

APPLICATION GUIDES

DOWNLOADS

ABOUT

[List of PDF downloads](#)[About Us](#)
[Contact Us](#)
[Site Map](#)

CONTACT

CEC INDUSTRIES, LTD
599 Bond Street
Lincolnshire, IL 60069
Phone: (847) 821-1199
Toll Free: (800) 572-4168
Fax: (847) 821-1133

www.cecindustries.com

