




Your Global Partner in Lighting Solutions

MINIATURE LAMP (CE8) Details



Part #	CE8				
Description	S-8 36V 25W BA15s CC-6				
Bulb Shape	S-8	Filament	CC-6	Base Style	S.C. Bayonet (BA15s)
Glass Diameter (in)	1.04	MOL [†] (in)	2.000	LCL ^{††} (in)	1.10
Glass Diameter (mm)	26.5	MOL (mm)	50.80	LCL (mm)	27.94
Volts	36	MSCP [‡]	-	Avg Life Hrs	300
Watts	25	Amps	0.69	RoHS Compliant	Yes
E-Marked	No	Drawing	CE8.pdf	New Announcement	

Click below to see NAFTA & Packaging information



† MOL (Maximum Overall Length):

The overall length of a lamp, from the top of the shell to the bottom of the base.

‡ MSCP (Mean Spherical Candlepower):

Candlepower produced at design volts. Candlepower is increased rapidly with an increase of applied voltage and conversely is reduced rapidly with a reduction of applied voltage.

†† LCL (Light Center Length):

The distance from a reference point, usually the bottom of the lamp base, to the center of the light source.

CERTIFICATES

APPLICATION GUIDES

DOWNLOADS

ABOUT

	Automotive Application Guide
	Motorcycle/ Off-Road Application Guide
	Flasher Application Guide

[List of PDF downloads](#)



[About Us](#)
[Contact Us](#)
[Site Map](#)

CONTACT

CEC INDUSTRIES, LTD
599 Bond Street
Lincolnshire, IL 60069
Phone: (847) 821-1199
Toll Free: (800) 572-4168
Fax: (847) 821-1133

www.cecindustries.com

