



# CorePro LEDbulb

## CorePro LEDbulb D 13-100W A60 E27 927

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.


### Product data

General Information	
Cap base	E27 [ E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50000X
Technical type	13-100W
Light Technical	
Colour code	927
Beam Angle (Nom)	150 °
Luminous flux (nom.)	1521 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	117.00 lm/W
Colour consistency	<6
Color rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	13 W
Lamp current (nom.)	70 mA
Wattage equivalent	100 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s

Power factor (nom.)	0.9
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	90 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb finish	Frosted
Approval and Application	
Energy efficiency label (EEL)	A+
Energy Consumption kWh/1000 h	13 kWh
Product Data	
Full product code	871869966068000
Order product name	CorePro LEDbulb D 13-100W A60 E27 927
EAN/UPC – product	8718699660680
Order code	66068000
Numerator – quantity per pack	1
Numerator – packs per outer box	10
Material no. (12NC)	929002069502
Net weight (piece)	0.060 kg

# CorePro LEDbulb


## Dimensional drawing



Bulb A60M 13.5-100W 1521lm 2700K E27


Product	D	C
CorePro LEDbulb D 13-100W A60 E27 927	60 mm	110 mm

## Photometric data




Global Illumination Co. | Philips Lighting B.V. | Page 10/12

LED Bulb CorePro E27 A60 13W





LED Bulb CorePro E27 A60 13W



LED Bulb CorePro E27 A60 13W

# CorePro LEDbulb

## Lifetime



LEDBulb CorePro E27 A60

LEDBulb CorePro E27 A60

