



# CorePro LEDbulbs

## CorePro LEDbulb ND 19-150WA67E27 827FR

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost. The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and dependable performance you expect from LED at an affordable price.

### Product data

| General Information                   |                     |
|---------------------------------------|---------------------|
| Cap-Base                              | E27 [ E27]          |
| Nominal Lifetime (Nom)                | 15000 h             |
| Switching Cycle                       | 50000X              |
| Technical Type                        | 19-150W             |
| Light Technical                       |                     |
| Color Code                            | 827 [ CCT of 2700K] |
| Beam Angle (Nom)                      | 150 °               |
| Luminous Flux (Nom)                   | 2500 lm             |
| Luminous Flux (Rated) (Nom)           | 2500 lm             |
| Color Designation                     | Warm White (WW)     |
| Correlated Color Temperature (Nom)    | 2700 K              |
| Luminous Efficacy (rated) (Nom)       | 131.00 lm/W         |
| Color Consistency                     | <6                  |
| Color Rendering Index (Nom)           | 80                  |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %                |
| Operating and Electrical              |                     |
| Input Frequency                       | 50 to 60 Hz         |
| Power (Nom)                           | 19 W                |
| Lamp Current (Nom)                    | 175 mA              |


| Wattage Equivalent              | 150 W                                  |
|---------------------------------|--|
| Starting Time (Nom)             | 0.5 s                                  |
| Warm Up Time to 60% Light (Nom) | 0.5 s                                  |
| Power Factor (Nom)              | 0.52                                   |
| Voltage (Nom)                   | 220-240 V                              |
| Temperature                     |  |
| T-Case Maximum (Nom)            | 90 °C                                  |
| Controls and Dimming            |  |
| Dimmable                        | No                                     |
| Mechanical and Housing          |  |
| Bulb Finish                     | Frosted                                |
| Approval and Application        |  |
| Energy Efficiency Label (EEL)   | A++                                    |
| Energy Consumption kWh/1000 h   | 19 kWh                                 |
| Product Data                    |  |
| Full product code               | 871869966220200                        |
| Order product name              | CorePro LEDbulb ND 19-150WA67E27 827FR |

# CorePro LEDbulbs

|                                 |               |
|---------------------------------|---------------|
| EAN/UPC - Product               | 8718699662202 |
| Order code                      | 929002048102  |
| Numerator - Quantity Per Pack   | 1             |
| Numerator - Packs per outer box | 6             |

|                     |              |
|---------------------|--------------|
| Material Nr. (12NC) | 929002048102 |
| Net Weight (Piece)  | 0.174 kg     |


## Dimensional drawing




Bulb A67 220-240V 18-150W2500lm2700KE27

| Product                                | D     | C      |
|--|-------|--------|
| CorePro LEDbulb ND 19-150WA67E27 827FR | 77 mm | 142 mm |


## Photometric data



LEDbulb 17 5-150W A67 E27



CorePro LEDbulb ND 19-150WA67E27 827FR




## CorePro LEDbulbs

### Lifetime



LEDbulb ND E27 FR



LEDbulb ND E27 FR

