



23105 Kashiwa Court, Torrance, CA 90505
Phone: (800) 579-4875 or (310) 534-1505 Fax: (310) 534-1424
E-mail: info@ledtronics.com
Website: <http://www.ledtronics.com>

DEC-A19F-10W-XPW-101AD

LED A19 Bulb, Dimmable, Frosted, E26 Base
120Vac, Pure White(5000K), 10W
Angle of illumination: 320°



DWG BY:
XMT / GP
03-20-20

R&D:
UF
03-20-20

MFG:
LD
03-20-20

QA:
SB
03-23-20

REVISION LTR: PRELIMINARY

03-20-20

○ Features

Operating Temperature	-20°C to +40°C
Heatsink Temperature	67°C
Heatsink Material	Aluminum
Body Material / Color	Polycarbonate / White
Lens Material / Color	Polycarbonate / Frosted White
LED LM80 Report	-
LM79 Report	-
Dimmable	Yes (10%-100%)
Lifespan	25,000 hrs.
Warranty	3 Years
Weight	0.06 lbs.



○ Electro-Optical Characteristics

Part Number	DEC-A19F-10W-XPW-101AD
Input Voltage (typ)	120Vac
Tested @ (Voltage)	120Vac
Power Consumption	10W
Current Consumption	0.093 A
Efficacy: (Lm/W)	97
Lumens	939 lm
Max Ft-Cd	166 cd
Power Factor	0.88
CRI (Ra)	>82
CCT	5000K
Color	Pure White
Angle of illumination	320°

○ **Dimensions**



Tolerance:

XXX +/- .010

XX +/- .025

Notes:

1. All Dimensions are in Inches [Millimeters].