



23105 Kashiwa Court, Torrance, CA 90505  
Phone: (800) 579-4875 or (310) 534-1505 Fax: (310) 534-1424  
E-mail: info@ledtronics.com  
Website: http://www.ledtronics.com

# DEC-A21F-11W-XCW-101

LED A21 Bulb, Frosted, 11W, E26 Base  
120Vac/130~140Vdc, Cool White, 6000K  
Angle of illumination: 70°



DWG BY:  
ST / GP / NM  
03-08-21

R&D:  
UF  
07-07-25

MFG:  
PP  
07-07-25

QA:  
LUV  
07-07-25

REVISION LTR: PRELIMINARY(3)  
ECR:#070225-UF01  
07-07-25

○ **Features**

Operating Temperature	-20°C to +45°C
Heatsink Material / Color	Aluminum Alloy / Silver
Sleeve Material / Color	Polycarbonate / White
Lens Material / Color	Polycarbonate / Frosted White
LED LM80 Report	-
LM79 Report	-
Dimmable	No
Lifespan	30,000 hrs.
Warranty	3 Years
Weight	0.21 lbs. / 3.4 oz.

○ **Electro-Optical Characteristics**

<b>Part Number</b>	<b>DEC-A21F-11W-XCW-101</b>		
Input Voltage (typ)	120Vac	130Vdc	140Vdc
Tested @ (Voltage)	120Vac	130Vdc	140Vdc
Power Consumption	10.8W	10.8W	10.8W
Current Consumption	0.094 A	0.083 A	0.078 A
Efficacy: (Lm/W)	131	133	133
Lumens	1412.5-1422.5 lm	1440.9-1460.9 lm	1436.1-1460.6 lm
Power Factor	0.96	1	1
CRI (Ra)	81		
CCT	6000K		
Color	Cool White		
Angle of illumination	70°		

○ **Dimensions**



**Tolerance:**

XXX +/- .010

XX +/- .025

**Notes:**

1. All Dimensions are in Inches [Millimeters].