


LTR	REVISION	DATE	APPD
A	030513-GP01: ADDED "READ mA (AC)" TO TEST TABLE	03-06-13	GP



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. BASE MATERIAL: NICKEL PLATED BRASS



REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

ELECTRO-OPTICAL CHARACTERISTICS

FES001-08-XCW-014W	COOL WHITE	14VAC/DC	63-77	54-66	0.98 W	-	-	8000K	100°
FES001-08-XFW-014W	FILAMENT WHITE	14VAC/DC	63-77	54-66	0.98 W	-	-	2100K	100°
FES001-08-XIW-014W	WARM WHITE	14VAC/DC	63-77	54-66	0.98 W	4.5cd	19 lm	3000K	105°
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE, V AC/DC	INPUT CURRENT (mA) (AC)	INPUT CURRENT (mA) (DC)	POWER (WATTS)	MAXIMUM CANDELA	TOTAL LUMES	COLOR TEMP. (K)	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)

-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE						FES001-08-XIW-014W			
DWG NO		SCALE		SHEET		DATE			
FES0006-CUST		1:1		1 OF 1		09-13-07			
CODE IDENT NO.	DWG BY	CHK BY	QA	RD	MFG	LD	R&D	BJ	
8Z410	GP		03-07-13		03-07-13				
	09-13-07								