

64789 CP/73 FKK 240V



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	54541
Product Name	64789CP73FKK240V 6/CS 1/SKU
Ordering Abbreviation	64789 CP/73 FKK 240V
Brand Name	OSRAM
General Description	Tungsten Halogen, 64789, CP/73, FKK, 2000W, 240V, G38 base, single-end
LIF Code	CP/73

Electrical data

Nominal Wattage	2000 W
Nominal Voltage	240 V
Type of Current	AC

Light technical data

Luminous Flux	52000 lm
Light Center Length - LCL (in)	5 in
Light Center Length - LCL (mm)	127 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	400 h


Physical attributes

Base	G38 Mogul Bipost
Bulb Shape	T10
Length l (in)	8.27 in
Length l (mm)	210 mm
Diameter d (in)	1.339 in
Diameter d (mm)	34.00 mm
Distance a (in)	5.000 in
Distance a (mm)	127 mm
Filament	C13D
Reflector Coating	34.00

Additional product data

Operating Position	s90
--------------------	-----

Product datasheet



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54541	4008321654038	Folding box (SKU)	1	8.7 in x 3.5 in x 3.7 in	0.7 lb
54541	4008321984296	Shipping box (Case)	6	11.4 in x 8.4 in x 10.5 in	6.2 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.