



Sunlite 80812-SU LED G9 Bi-Pin Base Light Bulb, 2 Watt (25W Halogen Equivalent), 200 Lumen, Non-Dimmable, 50K - Super White 1 Pack

Upgrade your fixtures with Sunlite LED G9 bi-pin bulbs. These non-dimmable 2 watt bulbs save energy while providing the same amount of light as a 25 watt halogen bulb. They are a direct replacement and last up to 10 times longer than their halogen equivalent yet require no special handling. And unlike other G9 LED replacements, these bulbs are similar in size and shape to halogen bulbs for a cleaner look when installed in your fixtures. They feature a 300 degree beam spread for a more even distribution of light and with a 15,000 hour average life span you'll need to replace them less often. Common uses for G9 bi-pin bulbs are lamps, track lighting, chandeliers, wall sconces, ceiling fixtures, range hoods, under cabinet lighting, drawers and display cases. They also have an Ingress Protection (IP) rating of 20 and are ETL listed for wet location installation so they are suitable for use outdoors and in landscape lighting. Buy with confidence from Sunlite, a US based lighting manufacturer since 1980.

- **UPGRADE TO LED** - Upgrade your fixtures with Sunlite LED G9 bulbs. These non-dimmable 2 watt bulbs save energy while providing the same amount of light as a 25 watt halogen bulb. They emit 200 lumen at 5000K Super White color temperature.
- **LONG LIFE TECHNOLOGY** - With a 15,000 hour average life span you'll need to replace hard to access bulbs less often. They are a direct replacement and last up to 10 times longer than their halogen equivalent yet require no special handling.
- **ENERGY SAVING** - These bulbs provide the same amount of light as a 25 watt halogen bulb while only using 2 watts of energy. That translates into an annual energy cost of \$0.24 based on 3 hrs/day at \$0.11 per kWh.
- **SMALL FORM FACTOR** - Unlike other G9 LED replacements these bulbs are similar in size and shape to halogen bulbs for a cleaner look when installed in your fixtures. They feature a 300 degree beam spread for a more even distribution of light.
- **SAFE FOR WET LOCATIONS** - They have an Ingress Protection (IP) rating of 20 and are ETL listed for wet location installation so they are suitable for use outdoors and in landscape lighting.

General Characteristics

| | |
|-------------------------|---|
| Lamp Life Hours | 15000 Hours |
| Material | Glass |
| Bulb Finish | Clear |
| LED Type | Integrated Ic Chip |
| Life (based on 3hr/day) | 13.7000000000 Years |
| Safety Rating | ETL Listed - Wet Location |
| Ingress Protection | IP20 (12.5 mm solids, Not protected from liquids) |

Electrical Characteristics

| | |
|-----------------------|--------------------|
| Watts | 2 |
| Volts | 120 |
| Equivalent Watts | 25 |
| LED Chip Manufacturer | Integrated Ic Chip |
| Power Factor | 0.7 |

Light Characteristics

| | |
|----------------------|------------|
| Brightness | 200 Lumens |
| Color Accuracy (CRI) | 80 |
| Light Appearance | Cool White |
| Color Temperature | 5000K |
| Beam Angle | 300° |

Product Dimensions

| | |
|----------------------|----------------------------|
| MOL (in) | 1.96 |
| Diameter (in) | 0.53 |
| Item Dimensions (in) | (W) 0.53 (H) 0.53 (D) 0.18 |

Product Data

| | |
|----------------|-----------------------|
| Item Number | 80812-SU |
| Case Quantity | 12.000000 |
| Pack Size | 1 Pack |
| Barcode on SKU | 653703808123 |
| Brand | Sunlite |
| Description | G9/LED/2W/CL/120V/50K |
| Warranty | 2 Years |

Additional Features