



GE  
Lighting



2.772  
kWh/1000h

A+  
energy class

89  
lumens/watt

PowerMax Wet

Tetra POWERMAX WET 7100K

**GEPM71-W1**

## Product information

POWERMAX Wet

## Application areas



Retail

## Product data

Dimensions	22.35x110x9.40mm
Limited Warranty	5 years
Energy efficiency class (EEC)	A+
IP Rating	68
Certifications	CE
Mounting type	Swivel Mounting
DIALux description	GE - PowerMax Wet - 133lm - 1.5W - 7100K - 150° - GEPM71-W1[SKU] - Surface mount
Dimmability	YES
Body colour	White

## Performance data

Weighted energy consumption [kWh/1000h]	2.772
Lumen per Module	133
Lumen per Meter	621
System Wattage per Module	1,5
Watts / Module (Strip)	1,32
Nominal lumens [lm]	133
Rated life [h]	50 000
Nominal correlated colour temperature (CCT) [K]	7100
Colour rendering index (CRI) [Ra]	65>85
Total system power	1.5

## Optical data

Nominal beam angle [°]	150
Rated beam angle [°]	150

## Electrical data

Controllability

Constant Voltage driver

## Logistic data


Product status

Available

Pack quantity

100 ft (30.48m)/ box (150 modules)

## Photometric Data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[All images/technical drawings \(HTTP\)](#)

[Specialty LED Solutions \(PDF\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

This product is intended solely for the use of non-residential signage lighting and is not intended for use in any other applications