


LTR	REVISION	DATE	APPD
-	RELEASED	09-03-13	



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. SLEEVE MATERIAL: RYNITE (UL94V-0)
3. BASE MATERIAL: BRASS WITH NICKEL-PLATED



REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

ELECTRO-OPTICAL CHARACTERISTICS

GL206CG6-0001	GL206CG6-36V/15-N	HI-EFF GREEN	36VDC	0.015 A	565	160°
GL206CR6-0001	GL206CR6-36V/15-N	HI-EFF RED	36VDC	0.015 A	633	160°
GL206CY6-0001	GL206CY6-36V/15-N	YELLOW	36VDC	0.015 A	585	160°
LEDTRONICS PART NO.	DESCRIPTION PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	CURRENT (A)	λP nm	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)



-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5 (UNLESS OTHERWISE STATED)
 .XX ± .025
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE GL206CX6-0001 (GL206CX6-36V/15-N)			
DWG NO GL206-36V-N	SCALE 2:1	SHEET 1 OF 1	DATE 09-03-13
CODE IDENT NO. 8Z410	DWG BY GP 09-03-13	CHK BY	QA MFG R&D BJ 09-03-13