



LED T5 High-Power Appliance Bulbs

3.5 Watts, Directly Replaces Incandescents up to 30W – E11, E12, E14, E17 or Ba15d Bases



FEATURES

- 2 Year LEDtronics U.S. Warranty
- Up to 90% Energy Reduction over Halogens, Incandescents
- Long Lifespan: White LEDs Last up to 50,000 Hours
- Solid State – Shock & Vibration Resistant
- Compact Bulb Fits in Tight Spaces in Open Fixtures
- High Lumen, High Efficacy, Instant-on, No Flickering
- Omnidirectional, No-Shadow Beam
- Polycarbonate Sleeve/Lens, Nickel-Plated Brass Base
- Wide Operating Temperature Range: -30°C to +50°C
- Minimal Heat Generation, No UV or IR, No Glass
- No Toxic Metals – RoHS Compliant
- Made in USA from Imported Parts

APPLICATIONS

- Ideal for Refrigerators & Freezers
- Replaces Halogen Bulbs in Microwave Ovens, Sewing Machines & Other Small Appliances
- Decorative & Accent Lighting
- Picture & Artwork Lights
- Sconce & Wall Lights
- Alcove Lighting

AVAILABLE OPTIONS

- Other Colors & Bases
- Other Voltages

Over 30 Years of LEDtronics Design, Engineering & Manufacturing Experience

LED20T5-3WE11-XIW-001A



Input Power	3.2~3.8 Watts
Input Voltage	120VAC
Input Current	0.03±0.005 A
Efficacy	88 lm/W
Lumens	300 lm
Power Factor	0.540
Illumination Angle	360°
CRI	>80
Emitted Color	Warm White
Color Temperature	2500K~3500K
Base/Material	E11 / Nickel-Plated Brass
Sleeve Material	Polycarbonate / White
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C
Dimensions	2.57 x Ø0.68 inch / 65.3 x Ø17.3 mm
Net Weight	0.037 lb / 0.6 oz / 16.8g



LED20T5-3WE12-XIW-001A (Warm White)

LED20T5-3WE12-XPW-001A (Pure White)

	XIW	XPW
Input Power	3.2~3.8 Watts	
Input Voltage	120VAC	
Input Current	0.03±0.005 A	
Efficacy	88 lm/W	
Lumens	300 lm	
Power Factor	0.540	0.935
Illumination Angle	360°	
CRI	>80	
Color Temperature	2500K~3500K	5500K~6500K
Base/Material	E12 Candelabra / Nickel-Plated Brass	
Sleeve Material	Polycarbonate / White	
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C	
Dimensions	2.64 x Ø0.68 inch / 67 x Ø17.3 mm	
Net Weight	0.037 lb / 0.6 oz / 16.8g	



LEDTRONICS®

America's Premium Brand LED Company™



23105 Kashiwa Court, Torrance, CA 90505
 Phone: (800) 579.4875 / (310) 534.1505
 Fax: (310) 534.1424
 E-mail: info@ledtronics.com
 Website: ledtronics.com

Made in USA



To order LEDtronics products, contact your area Distributor or Sales Representative.

Visit our website to find your local Distributor or Representative from our worldwide network:

LEDTRONICS.COM


LED T5 Appliance Bulbs – E14 / E17 Base



E14 Screw Base

LED20T5-3WE14-XIW-001A (Warm White)
LED20T5-3WE14-XPW-001A (Pure White)


	XIW	XPW
Input Power	3.2~3.8 Watts	
Input Voltage	120VAC	
Input Current	0.03±0.005 A	
Efficacy	88 lm/W	
Lumens	300 lm	
Power Factor	0.540	0.935
Illumination Angle	360°	
CRI	>80	
Color Temperature	2500K~3500K	5500K~6500K
Base/Material	E14 / Nickel-Plated Brass	
Sleeve Material	Polycarbonate / White	
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C	
Dimensions	2.55 x Ø0.68 inch / 64.7 x Ø17.3 mm	
Net Weight	0.025 lb / 0.4 oz / 11.3g	



E17 Intermediate Screw Base


LED20T5-3WE17-XIW-001A (Warm White)
LED20T5-3WE17-XPW-001A (Pure White)

	XIW	XPW
Input Power	3.2~3.8 Watts	
Input Voltage	120VAC	
Input Current	0.03±0.005 A	
Efficacy	88 lm/W	
Lumens	300 lm	
Power Factor	0.540	0.935
Illumination Angle	360°	
CRI	>80	
Color Temperature	2500K~3500K	5500K~6500K
Base/Material	E17 Intermediate / Nickel-Plated Brass	
Sleeve Material	Polycarbonate / White	
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C	
Dimensions	2.64 x Ø0.68 inch / 67.0 x Ø17.3 mm	
Net Weight	0.025 lb / 0.4 oz / 11.3g	




LED T5 Appliance Bulbs – Ba15d Bayonet Base

Made in USA
from Imported Parts



Ba15d Bayonet Base



LED20T5-3WDCB-XIW-001A (Warm White)
LED20T5-3WDCB-XPW-001A (Pure White)

	XIW	XPW
Input Power	3.2~3.8 Watts	
Input Voltage	120VAC	
Input Current	0.03±0.005 A	
Efficacy	88 lm/W	
Lumens	300 lm	
Power Factor	0.540	0.935
Illumination Angle	360°	
CRI	>80	
Color Temperature	2500K~3500K	5500K~6500K
Base/Material	Ba15d / Nickel-Plated Brass	
Sleeve Material	Polycarbonate / White	
Oper. Temperature	-22°F ~+122°F / -30°C ~+50°C	
Dimensions	2.55 x Ø0.68 inch / 64.7 x Ø17 mm	
Net Weight	0.037lb / 0.6 oz / 17g	