



23105 Kashiwa Court, Torrance, CA 90505
Phone: (800) 579-4875 or (310) 534-1505 Fax: (310) 534-1424
E-mail: info@ledtronics.com
Website: http://www.ledtronics.com

LEDG12-15W-XNW-101A

LED CFL Replacement Lamp; 2 Pin G12 Base
100~277Vac; Natural White (4000K); 8.5W
Angle of illumination: 360°



DWG BY:
SRL / HF
11-19-24

R&D:
UF
11-19-24

MFG:
PP
11-19-24

QA:
RR
11-19-24

REVISION LTR: PRELIMINARY
11-19-24

○ **Features**

Operating Temperature	-20°C to +40°C
UL / cUL Listed	E474634 (CH-G12-15WA-4000K)
LED Type / Quantity	SMD2835 / 144 pcs.
Base Material / Color	Polycarbonate / White
Dimmable	No
Lifespan	50,000 hours
Warranty	3 Years
Weight	0.2 lb. / 2.6 oz.


 ○ **Electro-Optical Characteristics**

Part Number	LEDG12-15W-XNW-101A
Input Voltage (typ)	100~277Vac
Tested @ (Voltage)	120Vac
Current Consumption	0.071 A
Power Consumption	8.5 W
Efficacy: (Lm/W)	178
Lumens	1,513 lm
Maximum Candela	159 cd
Power Factor	0.99
CRI (Ra)	>83
CCT	4000K
Color	Natural White
Angle of illumination	360°

○ **Dimensions**



Tolerance:
XXX +/- .010
XX +/- .025

Note:
1. All Dimensions are in Inches [Millimeters].