


LumenChoice™

Type C LED Tube & Driver System

Only Current offers **ONE** LED Tube capable of **MULTIPLE** lumen outputs.




How It Works

Current's Type C system utilizes ONE LED tube to create MULTIPLE lumen outputs via the wattage of the selected LED driver.

Why LumenChoice™

- Streamline bill of materials
- Reduce and simplify inventory
- Adjust lumens/watts in field with LumenChoice™ driver

Simply select the driver that best fits your lumen output needs



3 Easy Steps to Make Your Selection



1

Determine lamp lumen/wattage objectives.

This will guide driver selection



2

Locate driver product code.

Driver selection based on:

- Number of lamps per fixture
- Lumen/wattage objectives



3

Choose tube product codes.

Tubes are distinguished by color temperature

Now you have the lamp and driver combinations for optimal lumen output(s) and energy usage.

LumenChoice® TYPE C LED TUBE AND DRIVER SYSTEM

Lamp Performance-LumenChoice® Drivers

2'-4' Glass T8 and LumenChoice® Driver										
4ft Glass				Driver		Low Watt LumenChoice Driver			21378 - LED/DR/D2L/LW 21379 - LED/DR/D4L/LW	
Lamp Product Code	Lamp Description	CCT	DLC®	Wattage	8W	9W	12W	15W	16.5W	Notes
34211	LEDT8/LC/G/4/830	3000K	Yes	Initial Lumens	1050	1150	1550	1900	2000	
34227	LEDT8/LC/G/4/835	3500K	Yes		1050	1200	1600	1950	2050	
34235	LEDT8/LC/G/4/840	4000K	Yes		1050	1200	1600	1950	2050	
34239	LEDT8/LC/G/4/850	5000K	Yes		1050	1200	1600	1950	2050	
4ft Glass				Driver		High Watt LumenChoice Driver			21383 - LED/DR/D2L/HW 21392 - LED/DR/D4L/HW	
Lamp Product Code	Lamp Description	CCT	DLC®	Wattage	18W	19.5W	21W	23W*	25W*	Notes
34211	LEDT8/LC/G/4/830	3000K	Yes	Initial Lumens	2250	2500	2650	2850	2950	
34227	LEDT8/LC/G/4/835	3500K	Yes		2300	2550	2700	2900	3000	
34235	LEDT8/LC/G/4/840	4000K	Yes		2300	2550	2700	2900	3000	
34239	LEDT8/LC/G/4/850	5000K	Yes		2300	2550	2700	2900	3000	
3ft Glass				Driver		Low Watt LumenChoice Driver			21378 - LED/DR/D2L/LW 21379 - LED/DR/D4L/LW	
Lamp Product Code	Lamp Description	CCT	DLC®	Wattage	8W	9W	12W	15W	16.5W	Notes
36394	LEDT8/LC/G/3/830	3000K	Yes	Initial Lumens	1050	1150	1550	1900	2050	
36395	LEDT8/LC/G/3/835	3500K	Yes		1050	1200	1600	1950	2100	
36398	LEDT8/LC/G/3/840	4000K	Yes		1050	1200	1600	1950	2100	
36401	LEDT8/LC/G/3/850	5000K	Yes		1050	1200	1600	1950	2100	
2ft Glass				Driver		Low Watt LumenChoice Driver			21378 - LED/DR/D2L/LW 21379 - LED/DR/D4L/LW	
Lamp Product Code	Lamp Description	CCT	DLC®	Wattage	8W	9W	12W			Notes
36406	LEDT8/LC/G/2/830	3000K	-	Initial Lumens	1000	1100	1450			
36408	LEDT8/LC/G/2/835	3500K	Yes		1050	1200	1550			
36409	LEDT8/LC/G/2/840	4000K	Yes		1050	1200	1550			
36413	LEDT8/LC/G/2/850	5000K	Yes		1050	1200	1550			

LumenChoice® TYPE C LED TUBE AND DRIVER SYSTEM

Lamp Performance-Regular Drivers

4' HO and Regular Driver										
4ft Glass				Driver		LED36T8/DR/XX				
Lamp Product Code	Lamp Description	CCT	DLC®	Wattage						Notes
38926	LEDT5/LC/G/4/830	3000K	Yes	Initial Lumens					36W	4300
38934	LEDT5/LC/G/4/835	3500K	Yes							4350
38940	LEDT5/LC/G/4/840	4000K	Yes							4400
38946	LEDT5/LC/G/4/850	5000K	Yes							4400

Updated / New Product

Information provided is subject to change without notice. Please verify all details with Current. All values are design or typical values when measured under laboratory conditions, and Current makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions.

Get more information at
www.gecurrent.com