

## PRODUCT SPECIFICATIONS / INFO



**Color:** Black-White



**NEMA:** L5-15P



# 4720-C

**UPC Code:** 07847779549

**Country of Origin:** United States

### Description

15 Amp, 125 Volt, NEMA L5-15P, 2P, 3W, Locking Plug, Industrial Grade, Grounding - Black-White

### Product Features

NEMA: L5-15P

Color: Black-White

| AC Horsepower Ratings        |  |
|------------------------------|--|
| Horsepower Rating            | 1/2 HP   |
| Environmental Specifications |  |
| Flammability                 | Rated V-2 per UL94                                 |
| Operating Temperature        | -40C to 60C  |
| Mechanical Specifications    |  |
| Terminal ID                  | Brass-Hot, Green-Ground, Silver-Neutral            |
| Terminal Accom.              | 18-10 AWG  |
| Product ID                   | Ratings and NEMA I.D. permanently marked on device |
| Cord Range                   | .240 - .700  |
| Wire Gauge                   | 18-10 AWG  |

| Electrical Specifications |  |
|---------------------------|--|
| Grounding                 | Grounding  |
| Amperage                  | 15 Amp   |
| Voltage                   | 125 Volt   |
| NEMA                      | L5-15P   |
| Pole                      | 2  |
| Wire                      | 3  |
| Dielectric Voltage        | Withstands 2000V per UL498                               |
| Current Interrupting      | Certified for current interrupting at full rated current |
| Temperature Rise          | Max 30C after 250 cycles OL at 200 percent rated current |

| Material Specifications |                    |
|-------------------------|--------------------|
| Body Material           | Super Tough Nylon  |
| Back Cover              | Thermoplastic      |
| Wire Module             | Nylon              |
| Cord-Clamp              | Nylon              |
| Clamp Insert            | Nylon              |
| Blades/Contacts         | Solid Brass        |
| Terminal Screws         | Brass              |
| Assembly Screws         | Steel, Zinc Plated |
| Color                   | Black-White        |

| Standards and Certifications |                   |
|------------------------------|-------------------|
| NEMA                         | WD-6              |
| ANSI                         | C-73              |
| UL Fed Spec WC-596           | File E13393       |
| CSA C22.2 No. 42             | File LR-406       |
| NOM Certified                | 057               |
| Warranty                     | Lifetime Warranty |

### Dimensional Diagram



