

Sunlite 81282 LED 5-Inch Round Mini Panel Light Fixture, 10W (50W=), 600 Lmns, 30K/40K/50K Selectable CCT, Dimmable, White Finish, 50,000 Hour Life Span, Energy Star Certified, ETL Listed

DESCRIPTION:

The Sunlite 5 Inch Round LED Mini Flat Panel Fixture is a stylish addition to any décor. It features a slim design metal body with white trim and a shatter-resistant frosted lens. This selectable fixture features innovative technology that allows you to choose the color temperature with a switch at the time of installation. Select 3000K Warm White, 4000K Cool White, or 5000K Super White depending on your preference. Output is a bright 600 lumens (50 watt equivalent) while only using 10 watts of electricity. High color rendering at 90 CRI. This dimmable indoor/outdoor fixture has a 50,000 hour life span and is ETL Listed for damp location installation (IP20). Installing these Energy Star Certified fixtures may qualify you for state or local energy rebates. Fixture measures 5 inches X 0.63 inches.



FEATURES:

- **SLIM AND STYLISH** - The Sunlite 5 Inch Round LED Mini Flat Panel Fixture is a stylish addition to any décor. It features a slim design metal body with white trim and a shatter-resistant frosted lens.
- **COLOR SELECTABLE** - This selectable fixture features innovative technology that allows you to choose the color temperature with a switch at the time of installation. Select 3000K Warm White, 4000K Cool White, or 5000K Super White depending on your preference.
- **DIMMABLE** - Fixture can be dimmed when installed with an LED compatible dimmer. Output is a bright 600 lumens (50 watt equivalent) while only using 10 watts of electricity. High color rendering at 90 CRI. Long 50,000 hour life span for significant energy savings over time.
- **ENERGY STAR CERTIFIED** - This fixture is Energy Star Certified. Installing these fixtures may qualify you for state or local energy rebates. Estimated annual energy costs of \$1.20 based on 3 hours/day use.
- **ETL LISTED** - ETL Listed for damp location installation (IP20). Each fixture includes installation hardware and instructions. Fixture measures 5 inches X 0.63 inches.



SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Dimming Type	Forward Phase (Triac or Incandescent)
Dimming Percentage	10-100%
Material	Iron & Plastic
Lens Material	Polycarbonate
Lens Finish	White

Electrical Characteristics

Watts	10
Volts	120
Equivalent Wattage	50
LED Chip Manufacturer	SMD2835
Power Factor	0.9
Temperature	-20° - 40°

Light Characteristics

Lumens Brightness	600
Color Rendering Index CRI	90
Emitted Color	CCT Selectable
Color Temperature Kelvin	30K/40K/50K
Beam Angle	110°
Flicker	TRUE

Fixture Characteristics

Shape	Round
Number of Lights	1
Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	ETL - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes

Product Dimensions

Size	5"
MOL (in)	0.625
Diameter (in)	5.5
Item Dimension (in)	(W) 5.5 (H) 0.63 (D) 8.5
Package Dimension (in)	(W) 5.6 (H) 1.6 (D) 5.6
Package Weight (lb)	0.550

Product Data

Case Unit Rate	20
Item UPC	653703812823
Warranty Years	5

ACCESSORIES:

Catalog # 50206-SU
TRIM/MP/5R/BL