

LED MiniReflectors

PROFESSIONAL SERIES

MR11, MR16



The Next Small Thing in LED.

LITETRONICS LED MINI REFLECTORS PROFESSIONAL SERIES, like all LITETRONICS LED PARs, feature crisp white light, and a smooth beam pattern. The MR16's unique heatsink system ensures the bulb stays cool to maintain a high Lumen Per Watt efficacy. LED MINI REFLECTORS replace 20-38 watt halogen bulbs using less than 20% of energy typically required with halogen, and lasts 3 times as long as halogen light bulbs.

Benefits

- 25,000-hour life
- Up to 82% energy savings compared to halogen
- Fits into gimbal rings and standard fixtures
- RoHs Compliant
- 3-year warranty

Markets & Applications

- Restaurants
- Hospitality
- Retail
- Track Lighting
- Recessed Cans
- Landscape Lighting

Comparison Chart

LED	=	HALOGEN
3.5-watt	=	20-watt
7-watt	=	38-watt

LITETRONICS®

235 East 171st Street
Harvey, Illinois 60426
www.Litetronics.com

LED MiniReflectors

PROFESSIONAL SERIES

MR11, MR16

Technical Product Information

Average Rated Life: 25,000H*


Line Frequency: 60Hz

CRI: 83

Power Factor: ≥0.9

Operating Temp: -5° to 110°F

Beam Spread: Flood



Compatible Dimmers

Available online at: Litetronics.com/dimmers

Product Specifications

SHAPE	WATTS	VOLTS	BASE	DESCRIPTION	ORDERING CODE	CCT (K)	LED MR LUMENS	BEAM ANGLE	CASE QUANTITY	DIMMABLE
MR11	3.5	12V	GU4	3.5W MR11 GU4 12V FL 2700K 25,000H	LP3EJ54FL2	2700	150	25	10	NO
	3.5	12V	GU4	3.5W MR11 GU4 12V FL 3000K 25,000H	LP3EJ54FL4	3000	150	25	10	NO
MR16	7	12V	GU5.3	7W MR16 GU5.3 12V FL 3000K 25,000H	LP07B56FL4	3000	400	40	6	NO
	7	12V	GU5.3	7W MR16 GU5.3 12V FL 4000K 25,000H	LP07B56FL6	4000	430	40	6	NO
	7	12V	GU5.3	7W MR16 GU5.3 12V FL 5000K 25,000H	LP07B56FL7	5000	456	40	6	NO
	7	120V	GU10	7W MR16 GU10 120V FL 3000K 25,000H DIM	LP07A56FL4D	3000	450	40	6	YES
	7	120V	GU10	7W MR16 GU10 120V FL 4000K 25,000H DIM	LP07A56FL6D	4000	482	40	6	YES

