

Blacklight BL368 Compact

Lynx-L 36W BL368

0025710



Range features

- Features
- These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency
- 100% improvement in effectiveness (at 368nm)
- Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)
- Performs longer and better throughout the insect season
-
- Directions for use
- Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage



PRODUCT OVERVIEW

Ordering number	0025710
Cap/Base	2G11
EAN code	5410288257105
Watt (Nominal) (W)	36
Voltage (V)	106

Blacklight BL368 Compact

Lynx-L 36W BL368

0025710

DATA TABLE

General data

Ordering number	0025710
Cap/Base	2G11
EAN code	5410288257105
E-number FI	4940710
Range features	Features. These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency. 100% improvement in effectiveness (at 368nm). Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output). Performs longer and better throughout the insect season. . Directions for use. Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage
Product name	Lynx-L 36W BL368
Sales pack quantity	10

Electrical data

Watt (Nominal) (W)	36
Voltage (V)	106

Physical data


Weight (kg)	0.12
Single packaging type	Box/Sleeve
Single package dimensions (L x W x H) (cm)	46.00 x 4.60 x 2.70
Outer package dimensions (L x W x H) (cm)	48.00 x 15.00 x 11.00

Blacklight BL368 Compact

Lynx-L 36W BL368

0025710

TECHNICAL DRAWINGS



2G11

