

Mini-Lynx Fast-Start V2 MLFS V2 11W E14 840 SLV 0035024



Product features

- Compact, fast-start energy saving lamps, - Up to 80% energy saving compared to Incandescent, - Instant Flicker free start <1second, Delivers 60% light in less than 40 seconds, Average life 12,000hours



PRODUCT OVERVIEW

Product code	0035024
Product name	MLFS V2 11W E14 840 SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	11
Lamp shape	CFLi Stick
Type	Mini-Lynx Fast-Start V2
Cap/Base	E14
Lamp finish	frosted
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Certifications	EUERL032
ETIM Class	EC000819
Luminous flux (lm)	630
Efficacy (lm/w)	57.27
Colour temperature (K)	4000
Light colour	840 Cool White
CRI (Ra)	80
Wattage (W)	11
Product Voltage (V)	230
Average life (Nominal) (h)	12000
Product EAN number	5410288350240
Chromaticity coordinate Y	0.38

DATA TABLE

General data

Product code	0035024
Product name	MLFS V2 11W E14 840 SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	11
Lamp shape	CFLi Stick
Type	Mini-Lynx Fast-Start V2
Cap/Base	E14
Lamp finish	frosted

Mini-Lynx Fast-Start V2 MLFS V2 11W E14 840 SLV 0035024

Fixture rating	Open
General application	Hospitality, Residential & Consumer
Certifications	EUERL032
ETIM Class	EC000819

Optical data

Luminous flux (lm)	630
Luminous flux (Rated) (lm)	630
Efficacy (lm/w)	57.27
Colour temperature (K)	4000
Correlated colour temperature range (K)	4000
Light colour	840 Cool White
CRI (Ra)	80
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	11
Equivalent watt (W)	53
Starting time (max) (s)	<1
Warm-up time to 60% of full light (max) (s)	< 40
Current (A)	0.08
Mains voltage (V)	220-240V~
Product Voltage (V)	230
Lamp power factor	0.55
Control gear required	No
No. Of switching cycles before premature failures	30000
Transformer required	No
Lamp Energy Label (class)	A
kWh per 1000 hours burning time	11
Nominal Frequency (Hz)	50Hz

Lifetime data

Average life (Nominal) (h)	12000
Average life (Rated) (h)	12000

Physical data

Nominal Product Length (mm)	41.5
Nominal Product Diameter (mm)	123
Max. Lamp Diameter (mm) - D	42
Weight (kg)	0.056

Packaging

Single packaging type	Carton
Product EAN number	5410288350240
Packaging single length (cm)	13.2
Packaging single width (cm)	4.8

Mini-Lynx Fast-Start V2 MLFS V2 11W E14 840 SLV 0035024

Packaging single height (cm)	4.8
DUN14 (outer)	15410288350247
Units per outer package	10
Packaging outer length (cm)	26.0
Packaging outer width (cm)	11.0
Packaging outer height (cm)	15.7

Safety data

Lamp mercury content (mg)	2
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Intended purpose	General lighting
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	None

TECHNICAL DRAWINGS



Mini-Lynx Fast-Start V2
MLFS V2 11W E14 840 SLV
0035024

