


OPP20-D1



UPC Code: 078477634042

Country Of Origin: China

20A Standard Power Pack for Occupancy Sensors, features include Auto ON, Latching Relay; Line Voltage Input: 120/208/220/230/240/277V, 50/60Hz; Low Voltage: Input-24VDC, 2mA, Output-24VDC, 225mA. Housing: 1/2" Threaded nipple w/locknut (fits on or in a 4" sqr box), RoHS Compliant, Title 24 Compliant, ASHRAE 90.1 Compliant, Color: Gray

The Leviton OPP20 Super Duty Power Pack is the first power pack designed to control virtually any lighting or receptacle circuit load to meet today's challenges for solid state lighting control and tougher code requirements for unmatched performance and durability. The Power Pack models are cost-effective with simplified energy management tools for daylight harvesting and energy management.

Technical Information

Product Features

120-230-277VAC, 50/60 Hz: Yes
20A: Yes
Auto On OCC Input: Yes
Auto-ON/Auto-OFF: Yes
Color: Grey
Configurable Local Switch: Yes
Fail-Safe Circuit: Yes
Latching Relay: Yes
Manual On OCC Input: Yes
Manual Switch Input: Yes
Meets ASHRAE 90.1: Yes
Meets CA Title 24 Requirements: Yes
Momentary/Maintained Switch: Exclusive Self-detect
NEMA 410 Tested: Electronic Ballast Current
NOM Certified: Yes
Output Short Circuit Protection: Yes

Plenum Rated: UL2043

Plug Load Control Requirements: Yes

Power On Restore: Yes

Product Line: OPP20

Regulated 24VDC Current Output: 225mA

Sensor Type: Power Pack

Switched Daylighting Input: Yes

Tested Relay Cycles: 1.5M loaded cycles

UL/cUL Listed: 916; 2043

Warranty: 5 Year

Zero Cross Technologies: Yes

Mechanical Specifications

Neutral Wire Connection: Required

Relay Type: Latching

Electrical Specifications

Frequency: 50/60Hz

Voltage: 120/230/277 VAC

Standards and Certifications

Title 24 Compliant: Yes

Features and Benefits

- First true industry-exclusive "fail safe" design assures lights ON meeting life safety requirements of NFPA 101
- Robust power pack meets intense plug load control requirements of CA Title 24/ASHRAE 90.1
- Industry exclusive Switched Daylighting Power Pack models for use with Wall Switches, Occupancy Sensors and Photocells
- Robust and reliable mechanical latching relays specifically designed to operate LED's and high inrush electronic ballast loads
- Surpasses industry standards for short circuit protection (NEMA 410 16 Amp ballast overload testing)
- Tested to exceed 1.5 million switching cycles under standard load
- Built in manual ON switching control to meet CA Title 24 standards

- Models support a wide range of applications including switched daylighting, occupancy sensing control, bi-level switching, and metering/mechanical applications

SPECIFICATION SUBMITTAL

| | | |
|-------------------------------------|--|----------------------|
| JOB NAME: <input type="text"/> | CATALOG NUMBERS: <input type="text"/> | |
| JOB NUMBER: <input type="text"/> | <input type="text"/> | <input type="text"/> |

Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday):

+1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 ·

FAX: +1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-

1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2018 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to:

www.leviton.com/international/contacts/

