

## 2721MFX

ORIGINAL | Lamps for printed circuit boards



### Areas of application

- Instrument and switch lighting

### Product benefits

- OEM Quality
- Wide product range
- Reliable quality

### Product features

- Original spare parts

## Product datasheet

### Technical data


#### Electrical data

Power input	1.2 W
Nominal voltage	12.0 V
Nominal wattage	1.20 W
Power input tolerance	±10 %
Test voltage	13.5 V

#### Photometrical data

Luminous flux	6.4 lm
Luminous flux tolerance	±25 %

#### Dimensions & weight



Length	23.5 mm
Diameter	5 mm
Product weight	1.16 g

#### Colors & materials

Base color	Light blue
------------	------------

#### Lifespan

Lifespan B3	500 h
Lifespan Tc	2000 h

#### Additional product data

Base (standard designation)	BX8.5d
-----------------------------	--------

#### Capabilities

## Product datasheet

Thickness of PCB	1.25 mm
------------------	---------

### Certificates & standards

ECE category	-
Approval marks – approval	-

### Country specific categorizations

Order reference	2721MFX 1,2W 12
-----------------	-----------------

---

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321297150	OSRA2721MFX	-	-	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321297150	2721MFX	Unpacked 1	16 mm x 11 mm x 13 mm	0.00 dm <sup>3</sup>	2.15 g
4008321297167	2721MFX	Folding carton box 10	28 mm x 46 mm x 112 mm	0.14 dm <sup>3</sup>	20.67 g
4008321297174	2721MFX	Shipping carton box 50	148 mm x 55 mm x 115 mm	0.94 dm <sup>3</sup>	142.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.