


ORIGINAL - GLASS WEDGE BASE W2,3W

Original spare part



The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	2723
------------------------	------


Electrical Data

Power input	2.3 W
Nominal voltage	12 V
Nominal wattage	2 W
Power input tolerance	±8 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	18.6 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	W2x4.6d
Length	20.0 mm
Diameter	5 mm
Product weight	0.40 g

Lifetime Data

Lifespan B3	350 hr
Lifespan Tc	1200 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W2,3W
--------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321012968 4008321094834
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094834	OSRA2723	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094834	ORIGINAL - WEDGE BASE W2,3W	Unpacked 1	20 mm x 5 mm x 5 mm	0.00 dm ³	
4008321094858	ORIGINAL - WEDGE BASE W2,3W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	104.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM