

ORIGINAL - METAL BASE -

Original spare part





The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

Technical data

Product information

Order reference	3797
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	3 W
Nominal voltage	24.0 V
Nominal wattage	2.00 W
Power input tolerance	±15 %
Test voltage	28.0 V

Photometrical data

Luminous flux	17.5 lm
Luminous flux tolerance	±30 %

Dimensions & weight



Length	23.9 mm
Diameter	9 mm
Product weight	1.83 g

Lifespan

Lifespan B3	1000 h
Lifespan Tc	2000 h

Additional product data

Base (standard designation)	BA9s

Capabilities

Technology	AUX		
Certificates & standards			
ECE category	-		
Country specific categorizations			
Order reference	3797		

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	11-10-2022	
Primary Article Identifier	4050300891668 4050300887500	
Candidate List Substance 1 No declarable substances contained		
Declaration No. in SCIP database	No declarable substances contained	

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300891668	OSRA3797	-	-	-
4050300891675	OSRA3797	-	-	-
4050300891668	OSRA3797	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891668	ORIGINAL - METAL BASE 3797	Unpacked 1	9 mm x 9 mm x 24 mm	0.00 dm ³	2.00 g
4050300891675	ORIGINAL - METAL BASE 3797	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	29.30 g
4008321095817	ORIGINAL - METAL BASE 3797	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	176.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











