

64215

OSRAM ORIGINAL LINE | Halogen headlight lamps



Areas of application

- Headlight

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts



Technical data

Electrical data


Power input	75 W ¹⁾
Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

¹⁾ Maximum

Photometrical data

Luminous flux	1750 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Length	59.0 mm
Diameter	12.0 mm
Product weight	12.50 g

Lifespan

Lifespan B3	220 h
Lifespan Tc	500 h

Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

Certificates & standards

ECE category	H7
--------------	----

Country specific categorizations

Product datasheet

Order reference	64215 70W 24V P
-----------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300386522	OSRA64215	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300386522	64215	Folding carton box 1	58 mm x 34 mm x 34 mm	0.07 dm ³	19.00 g
4050300386539	64215	Bundle 10	66 mm x 58 mm x 174 mm	0.67 dm ³	155.00 g
4050300386546	64215	Shipping carton box 100	356 mm x 129 mm x 186 mm	8.54 dm ³	1727.00 g
4050300925882	64215	Blister 1	135 mm x 46 mm x 95 mm	0.59 dm ³	43.67 g
4008321141972	64215	Shipping carton box 10	279 mm x 134 mm x 128 mm	4.79 dm ³	388.67 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.