

## OT Programmer

OT Programmer | USB Programming interface



### Product family features

- Standard USB interface
- Very fast programming of single OPTOTRONIC devices with the Prog +/- interface
- Programming without applying mains voltage to the driver
- Suitable only for non-DALI OPTOTRONIC devices with the Prog +/- interface

## Product datasheet

---

### Technical data

#### Electrical data

Nominal voltage	5.00 V <sup>1)</sup>
Mains frequency	0 Hz

<sup>1)</sup> Supplied by USB

#### Dimensions & weight

Length	120.0 mm
Width	76.0 mm
Height	28.0 mm

#### Colors & materials

Product color	Grey
---------------	------

#### Temperatures & operating conditions

Ambient temperature range	0...+50 °C
---------------------------	------------

#### Certificates & standards

Type of protection	IP20
--------------------	------

#### Logistical data

Commodity code	853669909900
----------------	--------------



---

### Equipment / Accessories

– Programmable via Tuner4TRONIC software

---

### Download Data

File	
	Declarations of conformity 642506_OT Programmer EC-Declaration of Conformity
	Declarations of conformity 643182_EC Conformity OT Programmer

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899209640	OT Programmer	Shipping carton box 1	210 mm x 133 mm x 89 mm	2.48 dm <sup>3</sup>	286.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

Tuner4TRONIC software available at

▶ [www.osram.com/t4t](http://www.osram.com/t4t)

OT Programmer software available at

▶ [www.osram.com/software](http://www.osram.com/software)

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

---