

---

# Product datasheet

## P PAR30 DIM 10 W/927 E27

PARATHOM PAR30 DIM | Dimmable LED reflector lamps PAR30 with retrofit screw base



## Product datasheet

### Technical data

#### Electrical data

Claimed equiv. conventional lamp power	75 W
Operating frequency	50/60 Hz
Nominal current	58 mA


#### Photometrical data

Luminous intensity	1500 cd
Light color (designation)	Warm White
Nominal useful luminous flux 90°	633 lm
Rated peak intensity	1500 cd
Luminous flux	633 lm

#### Light technical data

Beam angle	36 °
Rated beam angle (half peak value)	36.00 °

#### Dimensions & weight



Overall length	93.00 mm
Product weight	160.00 g
Maximum diameter	95 mm

#### Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

#### Lifespan

Lumen maintenance at end of service life	0.7
--	-----

## Product datasheet

### Additional product data

Mercury content	0.0 mg
Mercury-free	Yes
Appropriate disposal acc. to WEEE	Yes
Product remark	All technical parameters apply to the entire lamp   Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

### Certificates & standards

Energy efficiency class	G
Energy consumption	10.00 kWh/1000h

### Environmental information

<b>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)</b>	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075264304
Declaration No. in SCIP database	In work

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075264304	P PAR30 DIM 10 W/927 E27	Shipping carton box 6 Pieces Folding carton box	312 mm x 211 mm x 163 mm	10.73 dm <sup>3</sup>	1516.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany