



PLT Wattage and Color Selectable LED Cutoff Wall Pack Spec Sheet



5 YEAR
WARRANTY



► DESCRIPTION

Traditional 35W-120W Semi-Cutoff LED Wall Pack | 120-277V | 4000/5000K Selectable | Glass Lens

► APPLICATION

Building Mount for exterior illumination (perimeters, pathways, loading docks, and other general security lighting requirements)





PLT Wattage and Color Selectable LED Cutoff Wall Pack Spec Sheet

PRODUCT FEATURES

- Up to 82% energy saving compared to traditional fixtures.
- Heavy-duty die cast aluminum housing.
- Architectural bronze finish, anti-corrosion spray.
- Borosilicate glass lens for long life durability, no fading, high light transmittance.
- IP65 rated, waterproofing material is used throughout the fixture.
- DLC 5.1 Premium***
- Dusk to dawn photocell options.
- 4000K/5000K CCT selectable; -40 Deg. to 113 Deg. F operating temperature.
- 100%/80%/60% wattage selectable.
- 5 Years warranty.

*Optional finishes available via Special Order. Call 1-800-624-4488.

**See Selectable Table on Page 5 for full breakdown.

***See Page 5 for full list of DLC part numbers.


ELECTRICAL SPECIFICATIONS

Catalog Number	Photocell	Wattage	Lumens**	Dimming	CCT	Efficacy**	CRI	Housing Color	Input Voltage	LED L70 Life Hours	Wattage Equivalent
PLT-13000	No	21W/ 28W/ 35W	Up to 4800 lm	No	4000K	Up to 149 lm/W	>80	Bronze	120–277V	100,000 hrs	175W MH
					5000K			Black*			
								White*			
PLT-13001	No	72W/ 96W/ 120W	Up to 16,800 lm	No	4000K	Up to 147 lm/W	>80	Bronze	120–277V	100,000 hrs	400W MH
					5000K			Black*			
								White*			




PLT Wattage and Color Selectable LED Cutoff Wall Pack Spec Sheet

DIMENSIONS



35W/120W

PHOTOMETRICS





PLT Wattage and Color Selectable LED Cutoff Wall Pack Spec Sheet

INSTALLATION REFERENCE



ACCESSORIES



Emergency battery back-up

Model NO.	Output Voltage	Emergency Power	Battery Type	For Models
NPS-00189*	81~155Vdc	8W	Li-ion/ Ni-MH	35W-75W
NPS-00188*		15W		100W-120W

**Available via Special Order. Please call 1-800-624-4488.*



PLT Wattage and Color Selectable LED Cutoff Wall Pack Spec Sheet

SELECTABLE TABLE

SKU	Wattage	CCT	Lumens	LPW
PLT-13000	35	5000K	4800lm	137lm/w
	35	4000K	4700lm	136lm/w
	28	5000K	3900lm	139lm/w
	28	4000K	3800lm	136lm/w
	21	5000K	3200lm	149lm/w
	21	4000K	3100lm	147lm/w
PLT-13001	120	5000K	16800lm	140lm/w
	120	4000K	16700lm	139lm/w
	96	5000K	13200lm	138lm/w
	96	4000K	13100lm	137lm/w
	72	5000K	10500lm	147lm/w
	72	4000K	10400lm	145lm/w

DLC Part Numbers

SKU	DLC Level	DLC #
PLT-13000	5.1 Premium	PLTBD16
PLT-13001	5.1 Premium	PLTBD56