


LTR	REVISION	DATE	APPD
A	080514-GP01: ADDED P/N (-302)	08-05-14	GP



NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. MTG HOLE DIA: 0.63"[16MM]
3. NON-RELAMPABLE REPLACEMENT FOR GE ET5 AND ET6
4. LENS MATERIAL: POLYCARBONATE (UL 94V-2)
5. SLEEVE MATERIAL: THREADED ROD - 6061-T6 ALUMINUM, CLEAR ANODIZE
6. NUT MATERIAL: ALUMINUM 6061T6
7. WASHER MATERIAL: NEOPRENE



REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

ELECTRO-OPTICAL CHARACTERISTICS (Ta = 25°C)

PNL-1145-301	RED	SUPER RED	639	24VDC TO 60VDC	0.010A	0.50W	0.073
PNL-1145-302	AMBER	SUPER YELLOW	593	24VDC TO 60VDC	0.010A	0.50W	0.073
PNL-1145-303	GREEN	AQUA GREEN	520	24VDC TO 60VDC	0.010A	0.50W	0.073
PNL-1145-305	WATER CLEAR	WARM WHITE	3000K	24VDC TO 60VDC	0.010A	0.50W	0.073
LEDTRONICS PART NO.	LENS COLOR	COLOR EMITTED	λP nm	INPUT VOLTAGE RANGE	CURRENT (A) typ.	POWER (WATTS) typ.	WEIGHT (LBS)



-PROPRIETARY-
 This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
 .XX ± .025 (UNLESS OTHERWISE STATED)
 ANGLES ± 0°,30'
 FRACT. ± 1/32

TITLE					
PNL-1145-30X					
DWG NO	SCALE	SHEET	DATE		
N1145009	1:1	1 OF 1	01-19-11		
CODE IDENT NO.	DWG BY	CHK BY	QA RD	MFG AM	R&D LUV
8Z410	01-19-11		08-05-14	08-05-14	08-08-14