



Home Contact Us Products Quote Catalog/Lit Samples About Us Tech Notes Cross Ref Reps/Dist Videos Media Warranty

items : 0 | subtotal : \$ 0.00

[View Cart ::](#) | [Checkout ::](#)

Panel Mount LEDs, 16mm PilotLED® Relampable

RPLH Series, 16mm, 22mm, 30mm Relampable Pilot Lights

[Page 1 — Introduction](#), [Page 2 — 16mm](#), [Page 3 - 22mm](#), [Page 4 - 30mm](#)


Environmental

Operating temperature: -25 °C to +50 °C

Storage temperature: -40 °C to +70 °C

Relative humidity: Rated for operation in non-condensing relative humidities between 5% and 95%

PilotLED Assembly Part Number



Selection Guide: Part numbers are for complete assembly of lens, lamp and lampholder



UL File # E110075


[Click to buy from our DISTRIBUTORS](#)

 16mm PilotLED Series RPLH16 UL File No. E110075 ‡ Volume Discounts Available	Mark To Order	Assembly Part Number		Retail Pricing‡	Min Order	Color	Input Voltage*	Lens	LED Lamp 1-LED
	☐	RPLH16-01-01-02	Order	\$23.94ea	5	RED	48VDC**	RPLL16-CRF	RPLB-0201-28V
	☐	RPLH16-01-02-02	Order	\$23.94ea	5	AMBER	48VDC**	RPLL16-CAF	RPLB-0203-28V
	☐	RPLH16-01-03-02	Order	\$23.94ea	5	YELLOW	48VDC**	RPLL16-CYF	RPLB-0204-28V
	☐	RPLH16-01-04-02	Order	\$23.94ea	5	GREEN	48VDC**	RPLL16-CGF	RPLB-0206-28V
	☐	RPLH16-01-05-02	Order	\$23.94ea	5	BLUE	48VDC**	RPLL16-CBF	RPLB-0208-28V
	☐	RPLH16-01-06-02	Order	\$23.94ea	5	WHITE†	48VDC**	RPLL16-TWF	RPLB-0209-28V
	☐	RPLH16-02-01-02	Order	\$23.94ea	5	RED	130VDC**	RPLL16-CRF	RPLB-0201-28V
	☐	RPLH16-02-02-02	Order	\$23.94ea	5	AMBER	130VDC**	RPLL16-CAF	RPLB-0203-28V
	☐	RPLH16-02-03-02	Order	\$23.94ea	5	YELLOW	130VDC**	RPLL16-CYF	RPLB-0204-28V
	☐	RPLH16-02-04-02	Order	\$23.94ea	5	GREEN	130VDC**	RPLL16-CGF	RPLB-0206-28V
	☐	RPLH16-02-05-02	Order	\$23.94ea	5	BLUE	130VDC**	RPLL16-CBF	RPLB-0208-28V
	☐	RPLH16-02-06-02	Order	\$23.94ea	5	WHITE†	130VDC**	RPLL16-TWF	RPLB-0209-28V
	☐	RPLH16-02-07-02	Order	\$23.94ea	5	CLEAR††	130VDC**	RPLL16-CWF	RPLB-0209-28V
	† White light through diffused white lens †† White light through waterclear lens								

Replacement Lenses						
 RPL16	Mark To Order	Part Number		Retail Pricing†	Min Order	Color
	☐	RPLL16-CRF	Order	\$2.86ea	10	RED
	☐	RPLL16-CAF	Order	\$2.86ea	10	AMBER
	☐	RPLL16-CYF	Order	\$2.86ea	10	YELLOW
	☐	RPLL16-CGF	Order	\$2.86ea	10	GREEN
	☐	RPLL16-CBF	Order	\$2.86ea	10	BLUE
	☐	RPLL16-TWF	Order	\$2.86ea	10	WHITE
	☐	RPLL16-CWF	Order	\$2.86ea	10	CLEAR
Holder Assembly without Lamp or Lens						
	Mark To Order	Part Number		Retail Price†	Min Order	Input Voltage
	☐	RPLH16-00	Order	\$14.26ea	10	Direct
	☐	RPLH16-01	Order	\$14.26ea	10	48VDC
	☐	RPLH16-02	Order	\$14.26ea	10	130VDC
	☐	RPLH16-03	Order	\$15.00ea	5	270VDC
	☐					
	☐					


1-LED Replacement Lamps						
 RPLB-020X 1-LED	Mark To Order	Part Number	Retail Pricing†	Min Order	Color	
	☐	RPLB-0201-28V	Order	\$6.84ea	10	RED
	☐	RPLB-0203-28V	Order	\$6.84ea	10	AMBER
	☐	RPLB-0204-28V	Order	\$6.84ea	10	YELLOW
	☐	RPLB-0206-28V	Order	\$9.12ea	10	GREEN
	☐	RPLB-0208-28V	Order	\$9.12ea	10	BLUE
	☐	RPLB-0209-28V	Order	\$9.12ea	10	WHITE

7-LED Replacement Lamps						
 RPLB-030X 7-LED	Mark To Order	Part Number	Retail Pricing†	Min Order	Color	
	☐	RPLB-0301-28V	Order	\$17.50ea	5	RED
	☐	RPLB-0303-28V	Order	\$17.50ea	5	AMBER
	☐	RPLB-0304-28V	Order	\$17.50ea	5	YELLOW
	☐	RPLB-0306-28V	Order	\$28.00ea	5	GREEN
	☐	RPLB-0309-28V	Order	\$28.00ea	5	WHITE



Notes

* Volts = Full voltage. Customer defines incoming voltage, lamp in holder is made to that voltage. This holder contains no current limiting resistor. (Example RPLH16-24-01-02 [24 Volt incoming source])



** = 48 & 130VDC use an internal series resistor to drop the voltage across the LED bulb to 28 Volts.

Dimensions are approximate

23105 Kashiwa Ct, Torrance, CA 90505 - PH: (800) 579-4875/(310) 534-1505 - FAX: (310) 534-1424
 All images and pictures and text on our website is Copyrighted property of LEDtronics.
 No-one is authorized to use our pictures, images, catalogs or text without our explicit written approval.
 © Copyright 1997-2008 LEDtronics, Inc. All Rights Reserved - [Contact Us](#)