



LEDTRONICS
America's Premium Brand LED Company™

23105 Kashiwa Court, Torrance, CA 90505
Phone: (800) 579-4875 or (310) 534-1505 Fax: (310) 534-1424
E-mail: info@ledtronics.com
Website: <http://www.ledtronics.com>

SBX001-150W-XPW-205A-B

Low Profile Shoebox Area Light
200~480Vac, Pure White (5000K), 150W
Angle of illumination: 120°



DWG BY:
SYT / HF / NM
10-15-20

R&D:
UF
04-25-24

MFG:
PP
04-24-24

QA:
GZ
04-22-24

REVISION LTR: PRELIMINARY(2)
ECR#: 060123-UF03, #: 021624-GZ01
04-02-24



○ Features

Operating Temperature	-30°C to +45°C
Storage Temperature	-40°C to +50°C
Housing Material / Color	Aluminum Alloy / Bronze
ETL/cETL Listed	4009701[YR-PL345-W150H-B(5000K)]
LED LM80 Report	Yes
LM79 Report	Yes
LED Qty.	60 pcs.
Protection Rating	IP65
Warranty	5 Years
Weight	13.7 lbs. / 6.2 kg.


○ Electro-Optical Characteristics

Part Number	SBX001-150W-XPW-205A-B
Input Voltage (typ)	200~480Vac
Tested @ (Voltage)	277Vac
Power Consumption	146 W
Current Consumption	0.529 A
Efficacy: (Lm/W)	103
Lumens	15,000 lm
Max Ft-Cd	-
Power Factor	0.99
CRI (Ra)	75
CCT	5000K
Color	Pure White
Angle of illumination	120°

○ **Dimensions**



Tolerance:

XXX +/- .010

XX +/- .025

Note:

1. All Dimensions are in Inches [Millimeters].