



UVB Broadband TL

TL 100W/12 SLV/10

The UVB Broadband TL lamps emit radiation in the 'B' bandwidth of the UV spectrum (290 to 315 nm) and are therefore suitable for phototherapy systems designed to treat skin diseases such as psoriasis.

Product data

General Information	
Cap-Base	R17D [R17d (RDC)]
Main Application	Phototherapy
Life To 50% Failures (Nom)	1000 h
Useful Life (Nom)	1000 h

Light Technical	
Color Code	12
Color Designation	Ultra Violet B
Chromaticity Coordinate X (Nom)	240
Chromaticity Coordinate Y (Nom)	250
Depreciation At 500 Hours	10 %
Depreciation At 1000 Hours	15 %

Operating and Electrical	
Power (Rated) (Nom)	100 W
Lamp Current (Nom)	0.97 A
Voltage (Nom)	126 V

Mechanical and Housing	
Cap-Base Information	Adaptor

UV	
UV-B Radiation 100 hr (IEC)	13.5 W
UV-B Radiation 5hr (IEC)	14.3 W


Product Data	
Order product name	TL 100W/12 SLV/10
EAN/UPC - Product	8718696662410
Order code	323220
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	928034901230
Net Weight (Piece)	410.000 g

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

UVB Broadband TL


Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL 100W/12 SLV/10	40.5 mm	1763.8 mm	1770.9 mm	1768.5 mm	1782.2 mm

TL 100W/12 R17d

Photometric data



Lightcolor /12



Lightcolor /12

