

LED Shoebox Light Luminaire

Product Description

VAOPTO's LED Shoebox Light Series, which replaces traditional shoebox lights, is an energy-efficient, lead-free, UV-free, and long-lasting cold lighting source. In comparison to traditional shoebox lights, VaOpto's LED Shoebox Series reduces energy consumption by 50%-75%.

Product Features

Power Input: 100-277VAC / 357-480VAC, 50/60Hz

CRI > 70






Beam Angle: 70x135/90/80x150

PF > 95

Operation Temp: -5F - 125F

IP65

5-year limited warranty



Unit: mm

Order Information

Part Number Example: VO-SB-100WW277-M2N3

Company Name	Product	Lamp Power	CCT	Input Voltage	Optical (A)	Optical (C)	Daylight Sensor	Driver Model
VO VaOpto	SB Shoebox Light	100	XW	277	L	2	N	1
		100 Watt	2700K	100-277Vac	Large	Type II	Without Photo Sensor	2
		120 (277Vac)	XWW	480	M	3	D	3
		120 Watt	3000K	347-480Vac	Median	Type III	With Photo Sensor	4
		150	WW		S	4		5
		150 Watt	3500K		Small	Type IV		6
		200	NW			5		7
		200 Watt	4000K			Type V		8
		300	XDW					
		300 Watt	4500K					
			DW					
			5000K					
			XCW					
			5700K					
			CW					
			6500					

LED Shoebox Light Luminaire

Product Number & Lighting Data

Part Number	Input Voltage(V)	Output Power(w)	Light Output(lm)	CCT(K)	Efficiency(lm/w)	DLC
VO-SB-100NW277-ACN3	100 - 277	100	14630	4000	150	Y
VO-SB-100NW277-ACD3	100 - 277	100	14630	4000	150	Y
VO-SB-100XDW277-ACN3	100 - 277	100	14630	4500	150	Y
VO-SB-100XDW277-ACD3	100 - 277	100	14630	4500	150	Y
VO-SB-100DW277-ACN3	100 - 277	100	14630	5000	150	Y
VO-SB-100DW277-ACD3	100 - 277	100	14630	5000	150	Y
VO-SB-100XCW277-ACN3	100 - 277	100	14800	5700	152	Y
VO-SB-100XCW277-ACD3	100 - 277	100	14800	5700	152	Y
VO-SB-100NW480-ACN6	357 - 480	100	14190	4000	148	Y
VO-SB-100XDW480-ACN6	357 - 480	100	14190	4500	148	Y
VO-SB-100DW480-ACN6	357 - 480	100	14190	5000	148	Y
VO-SB-100XCW480-ACN6	357 - 480	100	14380	5700	150	Y
VO-SB-120NW277-ACD1	100 - 277	120	16620	4000	140	Y
VO-SB-120NW277-ACN1	100 - 277	120	16620	4000	140	Y
VO-SB-120XDW277-ACN1	100 - 277	120	16620	4500	140	Y
VO-SB-120XDW277-ACD1	100 - 277	120	16620	4500	140	Y
VO-SB-120DW277-ACN1	100 - 277	120	16620	5000	140	Y
VO-SB-120DW277-ACD1	100 - 277	120	16620	5000	140	Y
VO-SB-120XCW277-ACN1	100 - 277	120	16980	5700	145	Y
VO-SB-120XCW277-ACD1	100 - 277	120	16980	5700	145	Y
VO-SB-150NW277-ACD1	100 - 277	150	19870	4000	135	Y
VO-SB-150NW277-ACN1	100 - 277	150	19870	4000	135	Y
VO-SB-150XDW277-ACN1	100 - 277	150	19870	4500	135	Y
VO-SB-150XDW277-ACD1	100 - 277	150	19870	4500	135	Y
VO-SB-150DW277-ACN1	100 - 277	150	19870	5000	135	Y
VO-SB-150DW277-ACD1	100 - 277	150	19870	5000	135	Y
VO-SB-150XCW277-ACN1	100 - 277	150	20390	5700	145	Y
VO-SB-150XCW277-ACD1	100 - 277	150	20390	5700	145	Y
VO-SB-150NW480-ACN6	357 - 480	150	19780	4000	137	Y
VO-SB-150XDW480-ACN6	357 - 480	150	19780	4500	137	Y
VO-SB-150DW480-ACN6	357 - 480	150	19780	5000	137	Y
VO-SB-150XCW480-ACN6	357 - 480	150	19970	5700	138	Y
VO-SB-150NW277- ACN3	100 - 277	150	19650	4000	136	Y
VO-SB-150NW277- ACD3	100 - 277	150	19650	4000	136	Y
VO-SB-150XDW277- ACN3	100 - 277	150	19650	4500	136	Y
VO-SB-150XDW277- ACD3	100 - 277	150	19650	4500	136	Y
VO-SB-150DW277- ACN3	100 - 277	150	19650	5000	136	Y
VO-SB-150DW277- ACD3	100 - 277	150	19650	5000	136	Y
VO-SB-150XCW277- ACN3	100 - 277	150	20310	5700	141	Y
VO-SB-150XCW277- ACD3	100 - 277	150	20310	5700	141	Y
VO-SB-200NW277-ACN4	100 - 277	200	24570	4000	127	Y
VO-SB-200NW277- ACD4	100 - 277	200	24570	4000	127	Y
VO-SB-200XDW277- ACN4	100 - 277	200	24570	4500	127	Y
VO-SB-200XDW277- ACD4	100 - 277	200	24570	4500	127	Y
VO-SB-200DW277- ACN4	100 - 277	200	24570	5000	127	Y
VO-SB-200DW277- ACD4	100 - 277	200	24570	5000	127	Y
VO-SB-200XCW277- ACN4	100 - 277	200	25120	5700	130	Y
VO-SB-200XCW277- ACD4	100 - 277	200	25120	5700	130	Y
VO-SB-200NW480-ACN7	357 - 480	200	24070	4000	127	Y
VO-SB-200XDW480-ACN7	357 - 480	200	24070	4500	127	Y
VO-SB-200DW480-ACN7	357 - 480	200	24070	5000	127	Y
VO-SB-200XCW480-ACN7	357 - 480	200	24890	5700	130	Y


LED Shoebox Light Luminaire

Product Number & Lighting Data

Part Number	Input Voltage(V)	Output Power(w)	Light Output(lm)	CCT(K)	Efficiency(lm/w)	DLC
VO-SB-300NW480-ACN8	357 - 480	300	38730	4000	135	Y
VO-SB-300XDW480-ACN8	357 - 480	300	38730	4500	135	Y
VO-SB-300DW480-ACN8	357 - 480	300	38730	5000	135	Y
VO-SB-300XCW480-ACN8	357 - 480	300	39410	5700	136	Y
VO-SB-300NW277- ACD5	100 - 277	300	38150	4000	131	Y
VO-SB-300NW277- ACN5	100 - 277	300	38150	4000	131	Y
VO-SB-300XDW277- ACN5	100 - 277	300	38150	4500	131	Y
VO-SB-300XDW277- ACD5	100 - 277	300	38150	4500	131	Y
VO-SB-300DW277-ACN5	100 - 277	300	38150	5000	131	Y
VO-SB-300DW277- ACD5	100 - 277	300	38150	5000	131	Y
VO-SB-300XCW277- ACN5	100 - 277	300	39660	5700	136	Y
VO-SB-300XCW277- ACD5	100 - 277	300	39660	5700	136	Y
VO-SB-300NW277-ACD2	100 - 277	300	39780	4000	133	Y
VO-SB-300NW277-ACN2	100 - 277	300	39780	4000	133	Y
VO-SB-300XDW277-ACN2	100 - 277	300	39780	4500	133	Y
VO-SB-300XDW277-ACD2	100 - 277	300	39780	4500	133	Y
VO-SB-300DW277-ACN2	100 - 277	300	39780	5000	133	Y
VO-SB-300DW277-ACD2	100 - 277	300	39780	5000	133	Y
VO-SB-300XCW277-ACN2	100 - 277	300	40590	5700	133	Y
VO-SB-300XCW277-ACD2	100 - 277	300	40590	5700	133	Y

More details on www.designlights.org

Accessory Options



Certifications



Illuminating
ENGINEERING SOCIETY

